



DK12 DIN-type four jaw self-centering chuck is suitable for the lathe machine of Germany's standard, produce according to DIN6350 standard. It has front mounting type as well.



DK12-SERIES DIN-STANDARD 4-JAW SELF-CENTERING CHUCKS

SPECIFICATIONS

UNIT: mm

Chuck Size	D1	D2	D3	H	H1	h	z-d	R.P.M Max speed	Code No	
									Solid Jaws	2-Piece Jaws
80	56	67	16	66.5	50	4	3-M6	4000	DK12-80	--
85	62	72	18	66.5	50	4	3-M6	4000	DK12-85	--
100	70	83	22	74.5	55	3	3-M8	3500	DK12-100	--
110	80	95	27	74.5	55	3	3-M8	3500	DK12-110	--
125	95	108	30	84.5	58	4	3-M8	3000	DK12-125	DK12-125A
140	105	120	40	84.5	58	4	3-M8	3000	DK12-140	DK12-140A
160	125	140	45	94	65	5	6-M10	2500	DK12-160	DK12-160A
200	160	176	65	109	75	5	6-M10	2000	DK12-200	DK12-200A
250	200	224	80	120	80	5	6-M12	1600	DK12-250	DK12-250A
315	260	286	100	156.5	90	6	6-M16	1200	DK12-315	DK12-315A
400	330	362	130	173.5	100	6	6-M16	1000	DK12-400	DK12-400A
500	420	458	210	205	115	6	6-M16	800	DK12-500	DK12-500A
630	545	586	260	220.5	135	7	6-M16	800	DK12-630	DK12-630A

DIN 6350

We also supply
DIN55026
DIN55027
DIN55029



Front-Mounting



2-Piece Jaws