

DATASHEET

Belt sander

MBSM 75-20 AS

For sanding surfaces, edges and rounding off

Article number v

3712076

Brand V Metallkraft

Availability 🗸

No stock available Information: Next availability Expected on calendar week 42/2023

Catalog directory v

Metalworking machines » Grinding and polishing machines for metal » Belt grinding machines » Belt grinders

Purchase 🗸

Minimum 2 pc(s).

Delivery content v

- Swarf bag
- Sanding belt K60

Shipping informations ~

Packaging M	etrics	Weights		Delivery		Other	
Length	1,025 mm	Gross	90 kg	Delivery	Carrier	DualUse	×
Width	500 mm	Net	90 kg	Content	2 pc(s).	SCIP	n/a
Height	1,000 mm					SVHC	No

Root data 🗸

Country of origin	EAN	Custom number	Quantity unit
Poland	4036351141150	84602990	pc(s).



Quality -Made in Europe





Description 🗸

- Powerful motors with vibration-free running to achieve the best grinding results
- Working height adjustable by stepless inclination of the grinding unit
- Angle-adjustable workpiece support
- Continuous face grinding surface enables this Grinding even long workpieces
- One extraction nozzle on the spark box and one on the rear belt roll
- Protective disc can be folded away
- Grinding belt change in seconds thanks to the quick-release system
- Simple Adjustment of the belt run via adjusting screw
- motor with brake and circuit breaker

Media informations v





Quick change of sanding belt thanks to quick clamping system

Easy adjustment of the belt run using the adjusting screw




Extraction nozzle on the spark box and on the rear belt roll

Technical data 🗸


Dimensions and weights			
Length (product) approx.	490 mm	Width/depth (product) approx.	995 mm
Height (product) approx. 1025 m		Net weight approx.	111 kg
Electrical Data			
Drive motor output	3 kW	Supply voltage	400 V
Mains frequency	50 Hz	Protection class	54 IP
Noise emission			
Emissions sound pressure level at workstation Lp (idling without extraction unit)	80 dB(A)		
Sanding machine			
Max. sanding width	75 mm	Sanding belt length	2000 mm
Sanding belt width	75 mm	Circumferential belt speed(s)	30 m/s
Contact wheel diameter	200 mm		
Extraction			
Extraction duct nominal width outside	60 mm	Motor power suction	0.37 kW
Suction capacity without dustbag/hose	540 m³/h	h Suction capacity with dustbag/hose 540	

Accessories 🗸



	tainless steel, s 000 x 75 mm k or extreme point load	Metallbearbeitungsmaschinen		
		Availability V In stock Immediate delivery	Purchase ✓ Minimum 1 PU (10 pc(s).)	Price informations 🗸
	Fraphite overlag 20 x 75 mm	у		
	722136	Availability V In stock Immediate delivery	Purchase ∨ Minimum 1 pc(s).	Price informations v
st 2	abric grinding tainless steel, s 000 x 75 mm k or extreme point load	<40	minum,	
		Availability V In stock Immediate delivery	Purchase ✓ Minimum 1 PU (10 pc(s).)	Price informations 🗸
	ilter bag or BEG 250 S			
		Availability No stock available Information: Next availability Expected on calendar week 40/2023	Purchase ∨ Minimum 1 pc(s).	Price informations ✓
st 2	abric grinding tainless steel, s 000 x 75 mm k or extreme point load	<60	minum,	
		Availability ❤ In stock Immediate delivery	Purchase ✓ Minimum 1 PU (10 pc(s).)	Price informations 🗸
si	Fabric sanding belt set for cast aluminum, stainless steel 2000 x 75 mm			
	722001	Availability V In stock Immediate delivery	Purchase ∨ Minimum 1 pc(s).	Price informations 🗸

Fabric grinding belt for stainless steel, unalloyed steel 75 x 2000 mm P40				
Article number v 3722004	Availability V In stock Immediate delivery	Purchase ✓ Minimum 1 PU (10 pc(s).)	Price informations V	
Contact wheel 75 mm				
Article number ∨ 3722138	Availability V In stock Immediate delivery	Purchase 	Price informations 🗸	
Fabric grinding unalloyed steel 75 x 2000 mm		ss steel,		
Article number ∨ 3722006	Availability V In stock Immediate delivery	Purchase ✓ Minimum 1 PU (10 pc(s).)	Price informations V	
Dust bag For grinders with int	egrated extraction un	it		
Article number ∨ 3722135	Availability ✓ In stock Immediate delivery	Purchase 	Price informations 🗸	
Fabric grinding unalloyed stee 75 x 2000 mm		ss steel,		
Article number v 3722008	Availability ❤ In stock Immediate delivery	Purchase ➤ Minimum 1 PU (10 pc(s).)	Price informations V	
Fabric grinding unalloyed stee 75 x 2000 mm		ss steel,		
Article number v 3722009	Availability V In stock Immediate delivery	Purchase ➤ Minimum 1 PU (10 pc(s).)	Price informations V	



Prices on this data sheet are recommended retail prices, subject to change, in €, plus VAT at the statutory rate, plus packaging, shipping, transport, unloading, assembly and, if applicable, instruction costs. Sales prices of the dealers can deviate. No liability is accepted for printing errors, mistakes or incorrect presentation. Technical and optical changes are reserved. Illustration partly with optional accessories.