

## Belt sander

### MBSM 150-20 AS

For sanding surfaces, edges and rounding off



#### Article number

3712151

#### Brand

Metalkraft

#### Availability

In stock  
Immediate delivery

#### Catalog directory

Metalworking machines » Grinding and polishing machines for metal » Belt grinding machines » Belt grinders

#### Purchase

Minimum 2 pc(s).




#### Delivery content

- Swarf bag
- Sanding belt K60

#### Shipping informations

Packaging Metrics		Weights		Delivery		Other	
Length	1,025 mm	Gross	114 kg	Delivery	Carrier	DualUse	✘
Width	600 mm	Net	114 kg	Content	2 pc(s).	SCIP	n/a
Height	1,000 mm					SVHC	No

#### Root data

Country of origin	EAN	Custom number	Quantity unit
 Poland	4036351141129	84602990	pc(s).



Quality -  
Made in Europe

## Description ▾

- Powerful motors with vibration-free running to achieve the best grinding results
- Working height adjustable by stepless inclination of the grinding unit
- Angle-adjustable workpiece support
- Continuous face grinding surface enables this Grinding even long workpieces
- One extraction nozzle on the spark box and one on the rear belt roll
- Protective disc can be folded away
- Grinding belt change in seconds thanks to the quick-release system
- Simple Adjustment of the belt run via adjusting screw
- motor with brake and circuit breaker

## Media informations ▾





Quick change of sanding belt thanks to quick clamping system



Easy adjustment of the belt run using the adjusting screw




Extraction nozzle on the spark box and on the rear belt roll

### Technical data ▼

Dimensions and weights			
Length (product) approx.	527 mm	Width/depth (product) approx.	995 mm
Height (product) approx.	1025 mm	Net weight approx.	140 kg
Electrical Data			
Drive motor output	3,6 kW	Supply voltage	400 V
Mains frequency	50 Hz	Protection class	54 IP
Noise emission			
Emissions sound pressure level at workstation Lp (idling without extraction unit)	80 dB(A)		
Sanding machine			
Max. sanding width	150 mm	Sanding belt length	2000 mm
Sanding belt width	150 mm	Circumferential belt speed(s)	30 m/s
Contact wheel diameter	200 mm		
Extraction			
Extraction duct nominal width outside	60 mm	Motor power suction	0.37 kW
Suction capacity without dustbag/hose	540 m³/h	Suction capacity with dustbag/hose	540 m³/h

### Accessories ▼



**Fabric abrasive belt set for stainless steel, steel, metal universal**  
**2000 x 150 mm**



**Article number** ▼  
 3722010

**Availability** ▼  
 In stock  
 Immediate delivery

**Purchase** ▼  
 Minimum 1 pc(s).

**Price informations** ▼



### Fabric grinding belt for stainless steel, unalloyed steel

150 x 2000 mm P120




Article number ▼  
3722019

Availability ▼  
In stock  
Immediate delivery

Purchase ▼  
Minimum 1 PU (10  
pc(s).)

Price informations ▼



### Fabric sanding belt set for cast aluminum, stainless steel

2000 x 150 mm




Article number ▼  
3722011

Availability ▼  
In stock  
Immediate delivery

Purchase ▼  
Minimum 1 pc(s).

Price informations ▼



### Fabric grinding belt for cast aluminum, stainless steel, steel

2000 x 150 mm K24

for extreme point load




Article number ▼  
3723022

Availability ▼  
In stock  
Immediate delivery

Purchase ▼  
Minimum 1 PU (10  
pc(s).)

Price informations ▼



### Fabric grinding belt for cast aluminum, stainless steel, steel

2000 x 150 mm K36

for extreme point load




Article number ▼  
3723023

Availability ▼  
In stock  
Immediate delivery

Purchase ▼  
Minimum 1 PU (10  
pc(s).)

Price informations ▼



### Fabric grinding belt for cast aluminum, stainless steel, steel

2000 x 150 mm K40

for extreme point load




Article number ▼  
3723024

Availability ▼  
In stock  
Immediate delivery

Purchase ▼  
Minimum 1 PU (10  
pc(s).)

Price informations ▼



### Fabric grinding belt for cast aluminum, stainless steel, steel

2000 x 150 mm K50

for extreme point load



Article number ▼  
3723025

Availability ▼  
In stock  
Immediate delivery

Purchase ▼  
Minimum 1 PU (10  
pc(s).)

Price informations ▼



### Fabric grinding belt for cast aluminum, stainless steel, steel

2000 x 150 mm K60

for extreme point load

Article number   
3723026

Availability   
In stock   
Immediate delivery

Purchase   
Minimum 1 PU (10   
pc(s).)

Price informations



### Filter bag for BEG 250 S

Article number   
3722150

Availability   
No stock available   
Information:   
Next availability   
Expected on   
calendar week   
40/2023

Purchase   
Minimum 1 pc(s).

Price informations



### Fabric grinding belt for stainless steel, unalloyed steel

150 x 2000 mm P40

Article number   
3722014

Availability   
In stock   
Immediate delivery

Purchase   
Minimum 1 PU (10   
pc(s).)

Price informations



### Graphite overlay 620 x 150 mm

Article number   
3722137

Availability   
In stock   
Immediate delivery

Purchase   
Minimum 1 pc(s).

Price informations



### Contact wheel 150 mm

Article number   
3722139

Availability   
No stock available   
Information:   
Next availability   
Unknown

Purchase   
Minimum 1 pc(s).

Price informations



### Dust bag

For grinders with integrated extraction unit

Article number   
3722135

Availability   
In stock   
Immediate delivery

Purchase   
Minimum 1 pc(s).

Price informations





**Fabric grinding belt for stainless steel,  
unalloyed steel**

150 x 2000 mm P60



**Article number** ▼  
3722016

**Availability** ▼  
In stock  
Immediate delivery

**Purchase** ▼  
Minimum 1 PU (10  
pc(s).)

**Price informations** ▼



**Fabric grinding belt for stainless steel,  
unalloyed steel**

150 x 2000 mm P80



**Article number** ▼  
3722018

**Availability** ▼  
In stock  
Immediate delivery

**Purchase** ▼  
Minimum 1 PU (10  
pc(s).)

**Price informations** ▼

Prices on this data sheet are recommended retail prices, subject to change, in €, plus VAT at the statutory rate, plus packaging, shipping, transport, unloading, assembly and, if applicable, instruction costs. Sales prices of the dealers can deviate. No liability is accepted for printing errors, mistakes or incorrect presentation. Technical and optical changes are reserved. Illustration partly with optional accessories.