

Press brake

FP 30

Universally applicable

Article number ▼

3244028

Brand ▼

Optimum

Availability ▼

In stock

Immediate delivery

Catalog directory ▼

Metalworking machines » Benders »
Folding Machines » Bending machines
manually » Series FP

Purchase ▼

Minimum 1 pc(s).




Delivery content ▼

- Bending segment 150 mm
- Bending segment 75 mm
- Bending segment 50 mm
- Bending segment 25 mm

Shipping informations ▼

Packaging Metrics		Weights		Delivery		Other	
Length	450 mm	Gross	11 kg	Delivery	Delivery service	DualUse	✗
Width	275 mm	Net	10 kg	Content	1 pc(s).	SCIP	n/a
Height	95 mm					SVHC	No

Root data ▼

Country of origin	EAN	Custom number	Quantity unit
 China	4030635006975	84622900	pc(s).



Description ▼

- For bending and bending of sheet metal
 - Removable bending cheek segments
 - Convenient pivoting movement of the bending beam over the lever handle
 - High quality quality bending cheek
 - For use on the vise
-
- Bending segment pieces 150 mm / 75 mm / 50 mm and 25 mm removable

Media informations ▼



Figure shows bending machine OPTIMUM FP 30
mounted on bench vice (vice not included)

Technical data ▼

General features			
Max. working width	320 mm	Sheet thickness max.	2.5 mm
Max. bending capacity sheet steel	300 x 1 mm	Max. bending capacity aluminium/copper	300 x 2 mm
Dimensions and weights			
Length (product) approx.	340 mm	Width/depth (product) approx.	50 mm
Height (product) approx.	600 mm	Net weight approx.	10 kg

Prices on this data sheet are recommended retail prices, subject to change, in €, plus VAT at the statutory rate, plus packaging, shipping, transport, unloading, assembly and, if applicable, instruction costs. Sales prices of the dealers can deviate. No liability is accepted for printing errors, mistakes or incorrect presentation. Technical and optical changes are reserved. Illustration partly with optional accessories.