

## Manual swing bending machine HSBM 610 HS



### Article number ▼

3772610

### Brand ▼

Metallkraft

### Availability ▼

In stock  
Immediate delivery

### Catalog directory ▼

Metalworking machines » Benders »  
Folding Machines » Bending machines  
manually » HSBM




### Purchase ▼

Minimum 1 pc(s).

### Shipping informations ▼

Packaging Metrics		Weights		Delivery		Other	
Length	810 mm	Gross	45 kg	Delivery	Carrier	DualUse	✘
Width	350 mm	Net	42 kg	Content	1 pc(s).	SCIP	n/a
Height	420 mm					SVHC	No

### Root data ▼

Country of origin	EAN	Custom number	Quantity unit
 China	4036351019459	84622900	pc(s).

### Description ▼

- Inexpensive beginner models for craftsmen
- Simple design and solid construction ensure accurate work
- Secure fixing of the workpiece via clamping device

#### HSBM 305 HS / 610 HS:

- Segmented upper cheek
- Ideal for the production of all profiles up to all around edged boxes
- Fast, user-friendly adjustment of the upper beam via eccentric
- Upper beam for high U-profiles
- Swivel bending over bow handle
- Easy to transport

#### HSBM 1020-10:

- User-friendly adjustment of the upper beam
- Swivel bend via double handle

### HSBM 2200-0.7 and HSBM 3000-0.6

- Two machines in one: manual folding machine and scissors
- Ideal for roofers on assembly, z. B. for making Erkerblechen, Mehlblechen, chimney linings
- The detachable roller cutter enables precise cutting of copper and zinc sheet
- Angle display from 0 - 135 °
- Swivel bending with secure clamping of the workpiece by preloading the upper beam
- Optionally available for HSBM 2200-0.7: function for beading sheet metal
- Quality Made in Europe

### Media informations ▼



### Technical data ▼

General features			
Max. working width	610 mm	Max. bending angle	135 °
Segmentation	25-50-75-205-255 mm		

<b>Dimensions and weights</b>			
Length (product) approx.	850 mm	Width/depth (product) approx.	360 mm
Height (product) approx.	420 mm	Net weight approx.	42 kg
<b>Bending capacity</b>			
Bending capacity 400 N/mm <sup>2</sup>	1.0 mm		

Prices on this data sheet are recommended retail prices, subject to change, in €, plus VAT at the statutory rate, plus packaging, shipping, transport, unloading, assembly and, if applicable, instruction costs. Sales prices of the dealers can deviate. No liability is accepted for printing errors, mistakes or incorrect presentation. Technical and optical changes are reserved. Illustration partly with optional accessories.