DATASHEET

Angle bender

WB 100

For home and craftsmen

Brand v

Metallkraft

Availability >

In stock Immediate delivery

Catalog directory >

Metalworking machines » Benders » Tube and angle bending machines » Angle bender

Purchase >

Minimum 20 pc(s).

Delivery content ✓

- angle stop
- bending plate
- bending lever
- material stop

Shipping informations >

Packaging Metrics		Weights		Delivery		Other	
Length	550 mm	Gross	34 kg	Delivery	Carrier	DualUse	×
Width	320 mm	Net	33 kg	Content	20 pc(s).	SCIP	n/a
Height	240 mm					SVHC	No

Root data 🗸

Country of origin	EAN	Custom number	Quantity unit
China	4036351040798	84625900	pc(s).

Description >





- For accurate cold and hot bending of flat, round and square steels
- Stable design for screwing on the workbench
- Holes in the cast bed for fixing on the workbench
- Infinitely adjustable bend stop
- With eccentric quick-release for efficient work
- Bending angle up to 120 °
- High repeat accuracy due to bending angle stop
- Ideal for repair shops and locksmiths

Media informations >





Illustration shows angle bender WB 100 with scope of delivery



Technical data >

Dimensions and weights			
Length (product) approx.	550 mm	Width/depth (product) approx.	320 mm
Height (product) approx.	240 mm	Net weight approx.	30 kg

Bending performance			
Bending capacity flat steel cold bending	100 x 5 mm	Bending capacity round steel cold bending	18 mm
Bending capacity square steel cold bending	16 x 16 mm	Bending performance angle steel cold bending	60 x 8 mm
Bending capacity flat steel hot bending	100 x 15 mm	Bending capacity round steel hot bending	27 mm
Bending capacity square steel hot bending	25 x 25 mm	Bending performance angle steel hot bending	100 x 12 mm

Prices on this data sheet are recommended retail prices, subject to change, in €, plus VAT at the statutory rate, plus packaging, shipping, transport, unloading, assembly and, if applicable, instruction costs. Sales prices of the dealers can deviate. No liability is accepted for printing errors, mistakes or incorrect presentation. Technical and optical changes are reserved. Illustration partly with optional accessories.