

Metal dry cutter MTS 356-4B

with four speeds

Article number ▼

3840356

Brand ▼

Metallkraft

Availability ▼

No stock available

Information:

Incoming stocks

Expected on calendar week 46/2023

Catalog directory ▼

Metalworking machines » Metal circular saws » Metal circular saw / dry cutter

Purchase ▼


Minimum 1 pc(s).



Shipping informations ▼

| Packaging Metrics | | Weights | | Delivery | | Other | |
|-------------------|--------|---------|---------|----------|----------|---------|-----|
| Length | 630 mm | Gross | 26.5 kg | Delivery | Carrier | DualUse | ✘ |
| Width | 380 mm | Net | 23.5 kg | Content | 1 pc(s). | SCIP | n/a |
| Height | 470 mm | | | | | SVHC | No |


Root data ▼

| Country of origin | EAN | Custom number | Quantity unit |
|---|---------------|---------------|---------------|
|  China | 4036351337065 | 84615090 | pc(s). |

Description ▼

- With brushless motor - particularly efficient, durable and maintenance-free
- For low-burr sawing of profiles and tubes made of steel, iron, copper, brass, aluminum, plastics and composites without coolant
- Application e.g. in metal construction, carpentry, interior finishing etc.
- Easy to transport
- Four speeds selectable at the push of a button
- Motor with soft start
- Digital display with indication of selected speed and current power in Watt
- Angle adjustment 0° - 45° for miter cuts
- Vice with quick adjustment
- Large LED work light on the underside of the handle to illuminate the work area
- Secure stand due to non-slip hard rubber feet
- With spindle lock for quick saw blade change
- Compatible with machine base MUG 1 (3630000)

Media informations



Angle adjustment

- Angle adjustment 0°-45° for miter cuts



LED work light

- Large LED work light on the underside of the handle to illuminate the work area

•



Digital display


- To display the saw blade speed, among other things



Technical data ▼

| General features | | | |
|--------------------------------------|--|-----------------------------------|--------------|
| Saw blade speed(s) | 700 / 900 / 1100 / 1300 min ⁻¹ | Saw blade diameter | 355 mm |
| Miter angle | 0 – 45 ° | | |
| Dimensions and weights | | | |
| Net weight approx. | 25 kg | | |
| Electrical Data | | | |
| Drive motor output | 3.5 kW | Supply voltage | 230 V |
| Mains frequency | 50 Hz | | |
| Cutting capacity | | | |
| Cutting capacity 0° (round) pipe | 130 mm | Cutting capacity 0° (square) pipe | 125 x 125 mm |
| Cutting capacity 0° (rectangle) pipe | 170 x 110 mm | | |

Accessories ▼



Saw blade for steel Ø 355 x 2.4 x 25.4 mm Z90

Article number ▼
3853505

Availability ▼
In stock
Immediate delivery

Purchase ▼
Minimum 1 pc(s).

Price informations ▼



Saw blade for steel Ø 355 x 2.4 x 25.4 mm Z80

Article number ▼
3853504

Availability ▼
In stock
Immediate delivery

Purchase ▼
Minimum 1 pc(s).

Price informations ▼





Saw blade for steel

Ø 305 x 2.4 x 25.4 mm



Article number ▼
3853051

Availability ▼
In stock
Immediate delivery

Purchase ▼
Minimum 1 pc(s).

Price informations ▼



Saw blade for aluminum

Ø 355 x 2.4 x 25.4 mm




Article number ▼
3853502

Availability ▼
In stock
Immediate delivery

Purchase ▼
Minimum 1 pc(s).

Price informations ▼



Saw blade for stainless steel

Ø 355 x 2.4 x 25.4 mm



Article number ▼
3853503

Availability ▼
In stock
Immediate delivery

Purchase ▼
Minimum 1 pc(s).

Price informations ▼



Machine base

MUG1



Article number ▼
3351490

Availability ▼
In stock
Immediate delivery

Purchase ▼
Minimum 1 pc(s).

Price informations ▼

Revoked article

Prices on this data sheet are recommended retail prices, subject to change, in €, plus VAT at the statutory rate, plus packaging, shipping, transport, unloading, assembly and, if applicable, instruction costs. Sales prices of the dealers can deviate. No liability is accepted for printing errors, mistakes or incorrect presentation. Technical and optical changes are reserved. Illustration partly with optional accessories.