

Manual metal-cutting circular saw

MKS 250 N

Miter-swiveling saw head and vice



Article number ▾

3620251

Brand ▾

Metalkraft

Availability ▾

In stock
Immediate delivery

Catalog directory ▾

Metalworking machines » Metal circular saws » Metal circular saws manually » MKS 250 N / MKS 255 N

Purchase ▾

Minimum 1 pc(s).




Delivery content ▾

- Coolant system
- Length stop 500 mm
- operating tool
- without saw blade
- without substructure

Shipping informations ▾

Packaging Metrics		Weights		Delivery		Other	
Length	900 mm	Gross	91 kg	Delivery	Carrier	DualUse	✘
Width	590 mm	Net	91 kg	Content	1 pc(s).	SCIP	434f9190-5a1d-4d87-9e24-bd287d9501d4
Height	740 mm					SVHC	Complex article

Root data ▾

Country of origin	EAN	Custom number	Quantity unit
 Italy	4036351001805	84615011	pc(s).



Quality -
Made in Europe

Description ▼

- For steel
- Reduction gear, silent in oil bath running
- automatic membrane coolant pump with standard coolant filter
- movable protection device ensures optimum safety when cutting
- Control handle with safety switch
- electrical system in low voltage 24 volts, with emergency stop switch, main switch, speed selector and overload protection
- Machine head rotatable by 45 ° on both sides
- 45 ° swiveling quick-action vice on both sides
- Quick-action vise with double clamping device guarantees a precise and low-profile cut
- Quality Made in Europe

Room amenities:

- 45 ° swiveling quick-action vice on both sides

Media informations ▼



Technical data ▼

General features			
Saw blade speed(s)	40 min ⁻¹	Saw blade diameter	250 mm
Miter angle	-45 – +45 °		
Dimensions and weights			
Length (product) approx.	800 mm	Width/depth (product) approx.	830 mm
Height (product) approx.	755 mm	Net weight approx.	83 kg

Electrical Data			
Drive motor output	1,1 kW	Supply voltage	230 V
Mains frequency	50 Hz		
Cutting capacity			
Cutting capacity 0° (round) solid material	40 mm	Cutting capacity 0° (round) pipe	70 mm
Cutting capacity 0° (square) pipe	70 x 70 mm	Cutting capacity 0° (rectangle) pipe	55 x 95 mm
Cutting capacity -45° (round) solid material	35 mm	Cutting capacity -45° (round) pipe	65 mm
Cutting capacity -45° (square) pipe	55 x 55 mm	Cutting capacity -45° (rectangle) pipe	55 x 65 mm
Cutting capacity +45° (round) solid material	35 mm	Cutting capacity +45° (round) pipe	65 mm
Cutting capacity +45° (square) pipe	55 x 55 mm	Cutting capacity +45° (rectangle) pipe	55 x 65 mm

Accessories ▾



Saw blade HSS-DMo5 Ø 250 x 2 x 32 mm t4




Article number ▾
3652504

Availability ▾
In stock
Immediate delivery

Purchase ▾
Minimum 1 pc(s).

Price informations ▾



Saw blade HSS-DMo5 Ø 250 x 2 x 32 mm t6




Article number ▾
3652506

Availability ▾
In stock
Immediate delivery

Purchase ▾
Minimum 1 pc(s).

Price informations ▾



Substructure MUB 1



Article number ▾
3642571

Availability ▾
In stock
Immediate delivery

Purchase ▾
Minimum 1 pc(s).

Price informations ▾



Swarf remover CHIPMAG



Article number ▾
3850010

Availability ▾
In stock
Immediate delivery

Purchase ▾
Minimum 1 pc(s).

Price informations ▾



Cutting oil BIOCUT, 5 l



Article number ▼
3608020

Availability ▼
In stock
Immediate delivery

Purchase ▼
Minimum 1 can

Price informations ▼



Drilling and cutting emulsion AQUACUT B, 5 l



Article number ▼
3601751

Availability ▼
Blocked article

Purchase ▼
Minimum 1 can

Price informations ▼
Revoked article



Drilling and cutting emulsion AQUACUT B Pro, 5 l



Article number ▼
3601752

Availability ▼
In stock
Immediate delivery

Purchase ▼
Minimum 1 can (5 liter(s))

Price informations ▼

Options equipment ▼



Microdosing device MD 11



Article number ▼
3608011

Availability ▼
No stock available
Information:
Next availability
Expected on
calendar week
43/2023

Purchase ▼
Minimum 1 pc(s).

Price informations ▼



Microdosing device MD 12



Article number ▼
3608012

Availability ▼
No stock available
Information:
Next availability
Expected on
calendar week
43/2023

Purchase ▼
Minimum 1 pc(s).

Price informations ▼

Prices on this data sheet are recommended retail prices, subject to change, in €, plus VAT at the statutory rate, plus packaging, shipping, transport, unloading, assembly and, if applicable, instruction costs. Sales prices of the dealers can deviate. No liability is accepted for printing errors, mistakes or incorrect presentation. Technical and optical changes are reserved. Illustration partly with optional accessories.

