

**Manual metal-cutting circular saw**

**MKS 275 N**

One and two speeds as well as miter swiveling saw head and vice



**Article number** ▾

3620275

**Brand** ▾

Metalkraft

**Availability** ▾

In stock  
Immediate delivery

**Catalog directory** ▾

Metalworking machines » Metal circular saws » Metal circular saws manually » MKS 275 N

**Purchase** ▾

Minimum 1 pc(s).



**Delivery content** ▾

- Coolant system
- Length stop 500 mm
- operating tool

**Shipping informations** ▾

Packaging Metrics		Weights		Delivery		Other	
Length	900 mm	Gross	98 kg	Delivery	Carrier	DualUse	✘
Width	590 mm	Net	98 kg	Content	1 pc(s).	SCIP	434f9190-5a1d-4d87-9e24-bd287d9501d4
Height	740 mm					SVHC	Complex article

**Root data** ▾

Country of origin	EAN	Custom number	Quantity unit
Italy	4036351001782	84615011	pc(s).



Quality -  
Made in Europe

## Description ▼

- For steel
- two cutting speeds
- Reduction gear, silent in oil bath running
- automatic membrane coolant pump with standard coolant filter
- movable protection device ensures optimum safety when cutting
- Control handle with safety switch
- electrical system in low voltage 24 volts, with emergency stop switch, main switch, speed selector and overload protection
- Machine head rotatable by 45 ° on both sides
- 45 ° swiveling quick-action vice on both sides
- Quick-action vise with double clamping device guarantees a precise and low-profile cut
- Quality Made in Europe

Room amenities:

- 45 ° swiveling quick-action vice on both sides

## Media informations ▼



## Technical data ▼

General features			
Saw blade speed(s)	40/80 min <sup>-1</sup>	Saw blade diameter	275 mm
Miter angle	-45 – +45 °		
Dimensions and weights			
Length (product) approx.	830 mm	Width/depth (product) approx.	900 mm

Height (product) approx.	1025 mm	Net weight approx.	98 kg
<b>Electrical Data</b>			
Drive motor output	1,1 / 1,5 kW	Supply voltage	400 V
Mains frequency	50 Hz		
<b>Cutting capacity</b>			
Cutting capacity 0° (round) solid material	45 mm	Cutting capacity 0° (round) pipe	65 mm
Cutting capacity 0° (square) pipe	65 x 65 mm	Cutting capacity 0° (rectangle) pipe	85 x 60 mm
Cutting capacity -45° (round) solid material	40 mm	Cutting capacity -45° (round) pipe	60 mm
Cutting capacity -45° (square) pipe	40 x 40 mm	Cutting capacity -45° (rectangle) pipe	40 x 60 mm
Cutting capacity +45° (round) solid material	40 mm	Cutting capacity +45° (round) pipe	60 mm
Cutting capacity +45° (square) pipe	40 x 40 mm	Cutting capacity +45° (rectangle) pipe	40 x 60 mm

## Accessories ▾



### Saw blade

HSS-DMo5 Ø 275 x 2,5 x 32 mm t4



**Article number** ▾  
3652754

**Availability** ▾  
In stock  
Immediate delivery

**Purchase** ▾  
Minimum 1 pc(s).

**Price informations** ▾



### Saw blade

HSS-DMo5 Ø 275 x 2,5 x 32 mm t6



**Article number** ▾  
3652756

**Availability** ▾  
In stock  
Immediate delivery

**Purchase** ▾  
Minimum 1 pc(s).

**Price informations** ▾



### Saw blade

HSS-DMo5 Ø 275 x 2,5 x 32 mm t8




**Article number** ▾  
3652758

**Availability** ▾  
In stock  
Immediate delivery

**Purchase** ▾  
Minimum 1 pc(s).

**Price informations** ▾



### Mounting adapter

right MRB standard 400 mm on MKS 275N



At Metallkraft metal circular saws

**Article number** ▾  
3671210

**Availability** ▾  
No stock available  
Information:  
Next availability  
Unknown

**Purchase** ▾  
Minimum 1 pc(s).

**Price informations** ▾



### Mounting adapter left MRB Standard 300 mm on MKS 275N

At Metallkraft metal circular saws

**Article number** ▼  
3671126

**Availability** ▼  
No stock available  
Information:  
Next availability  
Unknown

**Purchase** ▼  
Minimum 1 pc(s).

**Price informations** ▼



### Mounting adapter left MRB standard 400 mm on MKS 275N


At Metallkraft metal circular saws

**Article number** ▼  
3671127

**Availability** ▼  
No stock available  
Information:  
Next availability  
Unknown

**Purchase** ▼  
Minimum 1 pc(s).

**Price informations** ▼



### Mounting adapter right MRB Standard 300 mm on MKS 275N


At Metallkraft metal circular saws

**Article number** ▼  
3671209

**Availability** ▼  
No stock available  
Information:  
Next availability  
Unknown

**Purchase** ▼  
Minimum 1 pc(s).

**Price informations** ▼



### Substructure MUB 1

**Article number** ▼  
3642571

**Availability** ▼  
In stock  
Immediate delivery

**Purchase** ▼  
Minimum 1 pc(s).

**Price informations** ▼



### Drilling and cutting emulsion AQUACUT B, 5 l

**Article number** ▼  
3601751

**Availability** ▼  
Blocked article

**Purchase** ▼  
Minimum 1 can

**Price informations** ▼  
Revoked article



### Cutting oil BIOCUT, 5 l

**Article number** ▼  
3608020

**Availability** ▼  
In stock  
Immediate delivery

**Purchase** ▼  
Minimum 1 can

**Price informations** ▼





## Drilling and cutting emulsion AQUACUT B Pro, 5 l



**Article number** ▼  
3601752

**Availability** ▼  
In stock  
Immediate delivery

**Purchase** ▼  
Minimum 1 can (5  
liter(s))

**Price informations** ▼

### Options equipment ▼



## Microdosing device MD 11



**Article number** ▼  
3608011

**Availability** ▼  
No stock available  
Information:  
Next availability  
Expected on  
calendar week  
43/2023

**Purchase** ▼  
Minimum 1 pc(s).

**Price informations** ▼



## Microdosing device MD 12



**Article number** ▼  
3608012

**Availability** ▼  
No stock available  
Information:  
Next availability  
Expected on  
calendar week  
43/2023

**Purchase** ▼  
Minimum 1 pc(s).

**Price informations** ▼

Prices on this data sheet are recommended retail prices, subject to change, in €, plus VAT at the statutory rate, plus packaging, shipping, transport, unloading, assembly and, if applicable, instruction costs. Sales prices of the dealers can deviate. No liability is accepted for printing errors, mistakes or incorrect presentation. Technical and optical changes are reserved. Illustration partly with optional accessories.