

Sandblasters

SSK 3.1

For clean blasting without pollution of the working environment



Article number ▼

6204005

Brand ▼

Unicraft

Availability ▼

In stock

Immediate delivery

Catalog directory ▼

Workshop and lifting technology »

Bodywork and workshop equipment » Sand blaster

Purchase ▼

Minimum 1 pc(s).




Delivery content ▼

- High quality blasting gun with ceramic nozzle
- 4 ceramic nozzles (6/6/7/7 mm)
- 5 replacement foils for viewing windows

Shipping informations ▼

| Packaging Metrics | | Weights | | Delivery | | Other | |
|-------------------|----------|---------|--------|----------|----------|---------|-----|
| Length | 1,280 mm | Gross | 115 kg | Delivery | Carrier | DualUse | ✘ |
| Width | 1,250 mm | Net | 115 kg | Content | 1 pc(s). | SCIP | n/a |
| Height | 770 mm | | | | | SVHC | No |

Root data ▼

| Country of origin | EAN | Custom number | Quantity unit |
|-------------------------------------------------------------------------------------------|---------------|---------------|---------------|
|  China | 4036351228943 | 84243010 | pc(s). |

Video ▼

www.youtube.com/watch?v=7jPOGj--hJ8

Description ▼

- Suitable for various blasting materials, eg quartz, glass ball, plastic ball, etc.
- Ideal for cleaning, rust removal or paint removal of metal parts of all kinds, eg engine parts, fittings, signs, housings, rims, hinges
- High-quality work gloves made of latex are firmly attached to the housing
- Optimum vision and work safety during workpiece machining due to the lens with glued-on protective foil
- Dust-free work due to circumferential seals on cover and door frame
- Stable storage grid allows laying of workpieces in the cabin interior
- With drain opening for changing the blasting material
- Suction pipe for the blasting material attached to the bottom of the collecting container
- With compressed air connection on the outside
- Glass bead blasting, corundum blasting, silicon carbide, plastic blasting, etc. can be used

Room amenities:

- Very large, upwardly opening front flap with gas springs for quick and easy loading and unloading
- Integrated extraction system with replaceable air filter
- Blasting gun without finger trigger - Air flow control via foot pedal
- Two fluorescent tubes (230 volts), in a separate housing with protective screen and interchangeable protective foil, including five replacement foils
- Light switch with dual function: Exhaust and cabin lighting are switched on and off at the same time
- Regulation of working pressure via pressure regulator with manometer

Media informations




Fig. shows SSK 3.1 featuring a very large front flap which opens upward

Technical data

| General features | | | |
|----------------------------------|-----------------|-----------------------------------|-----------------|
| Air requirement average, approx. | 400 – 800 l/min | Working pressure | 3.4 – 8.0 bar |
| Abrasive grain size recommended | 0.2 – 0.3 mm | Max. abrasive grain size | 0.125 – 0.45 mm |
| Max. load of grid | 120 kg | Max. weight of blast media | 75 kg |
| Extraction performance | 17.4 m³/h | Extraction unit negative pressure | 8.5 kPa |
| Extraction unit volume flow | 156 m³/h | | |
| Dimensions and weights | | | |
| Length (product) approx. | 1225 mm | Width/depth (product) approx. | 935 mm |

| | | | |
|---------------------------|---------|-----------------------|---------|
| Height (product) approx. | 1640 mm | Net weight approx. | 115 kg |
| Cabin volume | 360 l | Cabin interior length | 1160 mm |
| Cabin interior width | 580 mm | Cabin interior height | 580 mm |
| Diameter of hand hole | 175 mm | | |
| Electrical Data | | | |
| Extraction absorbed power | 1200 W | | |

Accessories ▼



Fluorescent tube LSR SSK3



Article number ▼
6204127

Availability ▼
In stock
Immediate delivery

Purchase ▼
Minimum 1 pc(s).

Price informations ▼



Gloves HS SSK2.5 / 3/4



Article number ▼
6204120

Availability ▼
In stock
Immediate delivery

Purchase ▼
Minimum 1 pair

Price informations ▼



Air filter F-SSK3



Article number ▼
6204123

Availability ▼
In stock
Immediate delivery

Purchase ▼
Minimum 1 pc(s).

Price informations ▼



Sandblasting gun SSP SSK3 / 4




Article number ▼
6204124

Availability ▼
In stock
Immediate delivery

Purchase ▼
Minimum 1 pc(s).

Price informations ▼



Sandblasting nozzle Boron carbide 7 mm



Article number ▼
6204134

Availability ▼
In stock
Immediate delivery

Purchase ▼
Minimum 1 pc(s).

Price informations ▼



Cyclone extractor

ZAA 34

Highly efficient and powerful, with a two-stage separation system

Article number ▼

6204090

Availability ▼

In stock
Immediate delivery

Purchase ▼

Minimum 1 pc(s).

Price informations ▼



Protective screen lighting

SSB SSK3

Article number ▼

6204125

Availability ▼

In stock
Immediate delivery

Purchase ▼

Minimum 1 pc(s).

Price informations ▼



Sandblasting nozzle set

Ceramic 2 x 6 mm / 2 x 7 mm

Article number ▼

6204131

Availability ▼

In stock
Immediate delivery

Purchase ▼

Minimum 1 Set

Price informations ▼



Sandblasting nozzle

Boron carbide 6 mm

Article number ▼

6204133

Availability ▼

In stock
Immediate delivery

Purchase ▼

Minimum 1 pc(s).

Price informations ▼



Protective film lighting

SFB SSK3 / 3.1

Article number ▼

6204126

Availability ▼

In stock
Immediate delivery

Purchase ▼

Minimum 1 PU

Price informations ▼



Protective film

SF-SSK2 / 2.5 / 3

Article number ▼

6204111

Availability ▼

In stock
Immediate delivery

Purchase ▼

Minimum 1 PU

Price informations ▼





Viewing window SS-SSK2.5 / 3 / 3.1



Article number ▼
6204122

Availability ▼
In stock
Immediate delivery

Purchase ▼
Minimum 1 pc(s).

Price informations ▼



LED light tube for SSK 2.5 / SSK 3 / SSK 3.1



Article number ▼
6204128

Availability ▼
In stock
Immediate delivery

Purchase ▼
Minimum 1 pc(s).

Price informations ▼

Prices on this data sheet are recommended retail prices, subject to change, in €, plus VAT at the statutory rate, plus packaging, shipping, transport, unloading, assembly and, if applicable, instruction costs. Sales prices of the dealers can deviate. No liability is accepted for printing errors, mistakes or incorrect presentation. Technical and optical changes are reserved. Illustration partly with optional accessories.