

## Mobile sandblaster

### MSSG 105 A

Suction integrated for clean work



#### Article number ▼

6204030

#### Brand ▼

Unicraft

#### Availability ▼

No stock available

Information:

Incoming stocks

Expected on calendar week 45/2023

#### Catalog directory ▼

Workshop and lifting technology »

Bodywork and workshop equipment »

Sandblaster

#### Purchase ▼

Minimum 1 pc(s).




#### Delivery content ▼

- Sandblasting gun with brush
- Ceramic nozzle 7 mm
- Compressed air hose, length 2.5 m, inner Ø 9 mm
- Suction hose, length 2.5 m, inner Ø 12 mm
- Suction hose length 2.5 m, inner Ø 35 mm
- Plug nipple

#### Shipping informations ▼

Packaging Metrics		Weights		Delivery		Other	
Length	1,020 mm	Gross	35 kg	Delivery	Carrier	DualUse	✘
Width	460 mm	Net	32 kg	Content	1 pc(s).	SCIP	n/a
Height	515 mm					SVHC	No

#### Root data ▼

Country of origin	EAN	Custom number	Quantity unit
 China	4036351286264	84243010	pc(s).

#### Description ▼

- Ideal for blasting work in hard-to-reach places and on large objects, e.g. Vehicles
- Blasting media is sucked off and returned as soon as it hits the surface
- Clean exhaust air thanks to built-in filter
- Easy maneuvering thanks to the stable chassis with large wheels
- Easily removable collection container for emptying
- Robust device

## Media informations ▼



- Clean exhaust air thanks to built-in filter









- Blasting media is sucked off and returned as soon as it hits the surface

## Technical data ▼

General features			
Air requirement average, approx.	420 l/min	Sand hose length	2500 mm
Sand hose inner diameter	12 mm	Working pressure	5.5 – 7.9 bar

Suction hose length	2500 mm	Suction hose inner diameter	35 mm
Container volume	106 l	Air hose inner diameter	9 mm
Abrasive grain size	0.12 mm	Max. abrasive grain size	0.18 mm
Nozzle diameter	7 mm		
<b>Dimensions and weights</b>			
Length (product) approx.	612 mm	Width/depth (product) approx.	404 mm
Height (product) approx.	1040 mm	Net weight approx.	27 kg
<b>Electrical Data</b>			
Supply voltage	230 V	Mains frequency	50 Hz
Extraction absorbed power	1.2 kW	Protection class	IP54

## Accessories ▼

	<b>Air filter</b> <b>F-SSK3</b>		
<b>Article number</b> <span>▼</span> 6204123	<b>Availability</b> <span>▼</span> In stock Immediate delivery	<b>Purchase</b> <span>▼</span> Minimum 1 pc(s).	<b>Price informations</b> <span>▼</span>
	<b>Suction hose</b> <b>Ø50mm / Length 2.5m</b>		
<b>Article number</b> <span>▼</span> 6204212	<b>Availability</b> <span>▼</span> In stock Immediate delivery	<b>Purchase</b> <span>▼</span> Minimum 1 pc(s).	<b>Price informations</b> <span>▼</span>
	<b>Sandblasting gun</b> With brush		
<b>Article number</b> <span>▼</span> 6204210	<b>Availability</b> <span>▼</span> In stock Immediate delivery	<b>Purchase</b> <span>▼</span> Minimum 1 pc(s).	<b>Price informations</b> <span>▼</span>
	<b>Sandblasting nozzle</b> <b>Ceramic 7 mm</b>		
<b>Article number</b> <span>▼</span> 6204211	<b>Availability</b> <span>▼</span> In stock Immediate delivery	<b>Purchase</b> <span>▼</span> Minimum 1 pc(s).	<b>Price informations</b> <span>▼</span>

Prices on this data sheet are recommended retail prices, subject to change, in €, plus VAT at the statutory rate, plus packaging, shipping, transport, unloading, assembly and, if applicable, instruction costs. Sales prices of the dealers can deviate. No liability is accepted for printing errors, mistakes or incorrect presentation. Technical and optical changes are reserved. Illustration partly with optional accessories.