

Parts Washer

TWG 1

Closed design, for the thorough cleaning of complex parts



Article number ▼

6220001

Brand ▼

Unicraft

Availability ▼

In stock
Immediate delivery

Catalog directory ▼

Workshop and lifting technology »
Bodywork and workshop equipment » Parts washers

Purchase ▼

Minimum 4 pc(s).



Shipping informations ▼

Packaging Metrics		Weights		Delivery		Other	
Length	800 mm	Gross	32 kg	Delivery	Carrier	DualUse	✘
Width	620 mm	Net	29.5 kg	Content	4 pc(s).	SCIP	n/a
Height	545 mm					SVHC	No

Root data ▼

Country of origin	EAN	Custom number	Quantity unit
China	4036351248330	84248970	pc(s).

Description ▼

Optimum cleaning even where you can not get away with a brush or a rag

- Even complex automotive parts can be easily and quickly cleaned and degreased before soldering or painting
- Pistol with high working pressure for quick cleaning and blowing out
- Optimal view of the work area thanks to bright interior lighting and large viewing window

Clean working

- The closed design keeps the dirt in the cabin
- A fan ensures clean air in the interior
- Comfortable protective gloves integrated in the housing

Thoughtful details

- Large, smooth-running lid for quick and easy loading and unloading
- Due to the compact design, the cab fits on every worktable
- Sieve, support grid and water tank are easy to remove
- Simple compressed air connection on the right side of the cabin

Media informations





Cleaning pistol with dual function Cleaning and blowing out



Due to the compact design, the cab fits on every worktable



Large, smooth-running lid for quick and easy loading and unloading



Optimal view of the work area thanks to bright interior lighting and large viewing window

Technical data

General features			
Cabine capacity	140 l	Max. weight on support grille	40 kg
Speed of circulation	0.8 l/min	Minimum solvent capacity	4 – 9 l
Dimensions and weights			
Length (product) approx.	785 mm	Width/depth (product) approx.	595 mm
Height (product) approx.	700 mm	Net weight approx.	29.5 kg
Inner cabin length	736 mm	Inner cabin width/depth	560 mm

Inner cabin height	450 mm	Hand hole diameter	100 mm
Drive output			
Absorbed power drive motor	0.04 kW		
Electrical Data			
Supply voltage	230 V	Mains frequency	50 Hz
Pneumatic connection			
Working pressure	5 – 8 bar	Approx. compressed air requirement	140 l/min
Connection thread compressed air	¼ "		
Electrical connections			
Connection cable length	1,5 m		

Accessories ▼



Universal cleaner alkaline HD special 10l


Universal cleaner for fast, effortless and gentle cleaning of heavy soiling in the workshop, motor vehicle and commercial vehicle sector

Article number ▼
7321910

Availability ▼
In stock
Immediate delivery

Purchase ▼
Minimum 1 pc(s).

Price informations ▼




Cleaning and blowing gun

Article number ▼
6231000

Availability ▼
No stock available
Information:
Next availability
Expected on
calendar week
42/2023

Purchase ▼
Minimum 1 pc(s).

Price informations ▼



Fluorescent tube

Article number ▼
6231001

Availability ▼
No stock available
Information:
Next availability
Expected on
calendar week
42/2023

Purchase ▼
Minimum 1 pc(s).

Price informations ▼



Viewing window

Article number ▼
6231002

Availability ▼
In stock
Immediate delivery

Purchase ▼
Minimum 1 pc(s).

Price informations ▼





Gloves



Article number ▼

6231003

Availability ▼

In stock
Immediate delivery

Purchase ▼

Minimum 1 pair

Price informations ▼

Prices on this data sheet are recommended retail prices, subject to change, in €, plus VAT at the statutory rate, plus packaging, shipping, transport, unloading, assembly and, if applicable, instruction costs. Sales prices of the dealers can deviate. No liability is accepted for printing errors, mistakes or incorrect presentation. Technical and optical changes are reserved. Illustration partly with optional accessories.