

Combination grinding machine

OPTIgrind GU 18B

for workshops

OPTIMUM[®]
MASCHINEN - GERMANY

Article number ▼

3101605

Brand ▼

Optimum

Availability ▼

In stock

Immediate delivery

Catalog directory ▼

Metalworking machines » Grinding and polishing machines for metal » Combination grinding machine

Purchase ▼

Minimum 1 pc(s).




Delivery content ▼

- Grinding wheel normal corundum coarse K36
- Round brush wire thickness 0.3 mm

Shipping informations ▼

Packaging Metrics		Weights		Delivery		Other	
Length	495 mm	Gross	13.9 kg	Delivery	Delivery service	DualUse	✘
Width	305 mm	Net	12.7 kg	Content	1 pc(s).	SCIP	n/a
Height	305 mm					SVHC	No

Root data ▼

Country of origin	EAN	Custom number	Quantity unit
 China	4030635036514	84602990	pc(s).



Description ▼

- Durable design with maintenance-free motor
- Housing made of extruded aluminum
- Large, heavy mounting flanges and thus high disc concentricity
- Grinding attachment with graphite coating; prevents friction and heat
- Stop allows quick and easy sanding of workpieces

Brush Housing

- Swiveling
- Extraction nozzle for connecting a suction device

Multipurpose wire brush

- High strength steel wire
- Available as accessories in different thicknesses

Media informations ▼



Figure shows GU25B

Technical data ▼

Dimensions and weights			
Length (product) approx.	428 mm	Width/depth (product) approx.	305 mm
Height (product) approx.	244 mm	Net weight approx.	12.3 kg
Brushes			
Multi Purpose wire brush outer diameter	175 mm	Multi Purpose wire brush width	25 mm
Electrical Data			
Drive motor output	0,45 kW	Supply voltage	230 V
Mains frequency	50 Hz		
Grinding wheel(s)			
Grinding disc external diameter	175 mm	Grinding disc width	25 mm
Grinding disc drill hole	32 mm	Speed	2850 min ⁻¹

Accessories ▼



Normal corundum grinding wheel Ø 175 x 25 Ø 32 mm, K36

Article number ▼
3107180

Availability ▼
Small stock amount
Article available

Purchase ▼
Minimum 1 pc(s).

Price informations ▼

OPTIMUM[®]
MASCHINEN - GERMANY



Normal corundum grinding wheel Ø 175 x 25 Ø 32 mm, K80

Article number ▼
3107185

Availability ▼
In stock
Immediate delivery

Purchase ▼
Minimum 1 pc(s).

Price informations ▼

OPTIMUM[®]
MASCHINEN - GERMANY



Round brush 175x20x32 / 0.3 mm

Article number ▼
3107430

Availability ▼
In stock
Immediate delivery

Purchase ▼
Minimum 1 pc(s).

Price informations ▼

OPTIMUM[®]
MASCHINEN - GERMANY



Grinding wheel dresser Diamond

Article number ▼
3101821

Availability ▼
In stock
Immediate delivery

Purchase ▼
Minimum 1 pc(s).

Price informations ▼

OPTIMUM[®]
MASCHINEN - GERMANY



Wall bracket for OPTIgrind QSM 150 to SM 250

Article number ▼
3107050

Availability ▼
In stock
Immediate delivery

Purchase ▼
Minimum 1 pc(s).

Price informations ▼

OPTIMUM[®]
MASCHINEN - GERMANY



Machine substructure with extraction GU 1 (230 V)

Integrated cyclone extraction with automatic switch

Article number ▼
3107110

Availability ▼
No stock available
Information:
Next availability
Unknown

Purchase ▼
Minimum 1 pc(s).

Price informations ▼

OPTIMUM[®]
MASCHINEN - GERMANY



Suction tube flexible, 2-part

Article number ▼
3107111

Availability ▼
In stock
Immediate delivery

Purchase ▼
Minimum 1 PU

Price informations ▼

OPTIMUM[®]
MASCHINEN - GERMANY



Substructure GU 3

Article number ▼
3107118

Availability ▼
In stock
Immediate delivery

Purchase ▼
Minimum 1 pc(s).

Price informations ▼

OPTIMUM[®]
MASCHINEN - GERMANY

Prices on this data sheet are recommended retail prices, subject to change, in €, plus VAT at the statutory rate, plus packaging, shipping, transport, unloading, assembly and, if applicable, instruction costs. Sales prices of the dealers can deviate. No liability is accepted for printing errors, mistakes or incorrect presentation. Technical and optical changes are reserved. Illustration partly with optional accessories.