

## Combination grinding machine OPTIgrind GU 20B (230V)

for workshops

**OPTIMUM**<sup>®</sup>  
MASCHINEN - GERMANY

### Article number ▼

3101610

### Brand ▼

Optimum

### Availability ▼

In stock

Immediate delivery

### Catalog directory ▼

Metalworking machines » Grinding and polishing machines for metal » Combination grinding machine

### Purchase ▼

Minimum 1 pc(s).




### Delivery content ▼

- Grinding wheel normal corundum coarse K36
- Round brush wire thickness 0.3 mm

### Shipping informations ▼

Packaging Metrics		Weights		Delivery		Other	
Length	580 mm	Gross	18.5 kg	Delivery	Carrier	DualUse	✘
Width	345 mm	Net	17.1 kg	Content	1 pc(s).	SCIP	n/a
Height	335 mm					SVHC	No

### Root data ▼

Country of origin	EAN	Custom number	Quantity unit
 China	4030635036521	84602990	pc(s).



## Description ▼

- Durable design with maintenance-free motor
- Housing made of extruded aluminum
- Large, heavy mounting flanges and thus high disc concentricity
- Grinding attachment with graphite coating; prevents friction and heat
- Stop allows quick and easy sanding of workpieces

## Brush Housing

- Swiveling
- Extraction nozzle for connecting a suction device

## Multipurpose wire brush

- High strength steel wire
- Available as accessories in different thicknesses

## Media informations ▼



Figure shows GU25B

## Technical data ▼

Dimensions and weights			
Length (product) approx.	517 mm	Width/depth (product) approx.	345 mm
Height (product) approx.	282 mm	Net weight approx.	18,5 kg
Brushes			
Multi Purpose wire brush outer diameter	200 mm	Multi Purpose wire brush width	25 mm
Electrical Data			
Drive motor output	0,6 kW	Supply voltage	230 V
Mains frequency	50 Hz		
Grinding wheel(s)			
Grinding disc external diameter	200 mm	Grinding disc width	30 mm
Grinding disc drill hole	32 mm	Speed	2850 min <sup>-1</sup>

## Accessories ▼



### Normal corundum grinding wheel

Ø 200 x 30 Ø 32 mm, K36

**Article number** ▼  
3107210

**Availability** ▼  
In stock  
Immediate delivery

**Purchase** ▼  
Minimum 1 pc(s).

**Price informations** ▼

**OPTIMUM**<sup>®</sup>  
MASCHINEN - GERMANY



### Normal corundum grinding wheel

Ø 200 x 30 Ø 32 mm, K80

**Article number** ▼  
3107215

**Availability** ▼  
In stock  
Immediate delivery

**Purchase** ▼  
Minimum 1 pc(s).

**Price informations** ▼

**OPTIMUM**<sup>®</sup>  
MASCHINEN - GERMANY



### Round brush

200x20x32 / 0.3 mm

**Article number** ▼  
3107435

**Availability** ▼  
In stock  
Immediate delivery

**Purchase** ▼  
Minimum 1 pc(s).

**Price informations** ▼

**OPTIMUM**<sup>®</sup>  
MASCHINEN - GERMANY



### Grinding wheel dresser

Diamond

**Article number** ▼  
3101821

**Availability** ▼  
In stock  
Immediate delivery

**Purchase** ▼  
Minimum 1 pc(s).

**Price informations** ▼

**OPTIMUM**<sup>®</sup>  
MASCHINEN - GERMANY



### Wall bracket

for OPTIgrind QSM 150 to SM 250

**Article number** ▼  
3107050

**Availability** ▼  
In stock  
Immediate delivery

**Purchase** ▼  
Minimum 1 pc(s).

**Price informations** ▼

**OPTIMUM**<sup>®</sup>  
MASCHINEN - GERMANY



### Machine substructure with extraction

GU 1 (230 V)

Integrated cyclone extraction with automatic switch

**Article number** ▼  
3107110

**Availability** ▼  
No stock available  
Information:  
Next availability  
Unknown

**Purchase** ▼  
Minimum 1 pc(s).

**Price informations** ▼

**OPTIMUM**<sup>®</sup>  
MASCHINEN - GERMANY



### Suction tube flexible, 2-part

Article number ▼  
3107111

Availability ▼  
In stock  
Immediate delivery

Purchase ▼  
Minimum 1 PU

Price informations ▼

**OPTIMUM**<sup>®</sup>  
MASCHINEN - GERMANY



### Substructure GU 3

Article number ▼  
3107118

Availability ▼  
In stock  
Immediate delivery

Purchase ▼  
Minimum 1 pc(s).

Price informations ▼

**OPTIMUM**<sup>®</sup>  
MASCHINEN - GERMANY

Prices on this data sheet are recommended retail prices, subject to change, in €, plus VAT at the statutory rate, plus packaging, shipping, transport, unloading, assembly and, if applicable, instruction costs. Sales prices of the dealers can deviate. No liability is accepted for printing errors, mistakes or incorrect presentation. Technical and optical changes are reserved. Illustration partly with optional accessories.