

Edge router



Unique hand milling machine for double-sided milling of glued components

Article number v 5400061

Brand ✓ Holzkraft

Availability

In stock
Immediate delivery

Catalog directory v

Woodworking machinery » Edge banding machines » Edge milling machine

Purchase 🗸

Minimum 1 pc(s).





Shipping informations v

Packaging Metrics		Weights		Delivery		Other	
Length	230 mm	Gross	4.1 kg	Delivery	Carrier	DualUse	×
Width	325 mm	Net	4.1 kg	Content	1 pc(s).	SCIP	n/a
Height	490 mm					SVHC	No


Root data 🗸

Country of origin	EAN	Custom number	Quantity unit
Czech Republic	4036351049579	84669280	pc(s).

Description v

- Double-sided milling in two steps without having to turn over the workpiece
- The edge band can be processed on both flat and profiled components on both sides
- The platen is coated with Teflon so that the surfaces can not be scratched

Media informations ~



Technical data 🗸

General features			
Edge thickness	0,5 – 3 mm	Workpiece thickness	10 – 40 mm
Speed	13000 - 31000 min 1	Extraction port diameter	45 mm
Feed	manual		
Dimensions and weights			
Net weight approx.	4.1 kg		
Drive output			
Drive motor output	0.74 kW		
Electrical Data			
Supply voltage	230 V	Mains frequency	50 Hz

Article references v

2	Edge banding of KAG 4 Light and handy, wit			
	Article number ✓ 5400040	Availability ➤ No stock available Information: Next availability Unknown	Purchase ∨ Minimum 1 pc(s).	Price informations ✓ Revoked article
	Mobile edge banding machine KAG 3 Light and handy			
	Article number ✓ 5400003	Availability V Blocked article	Purchase 	Price informations ✓ Revoked article

Prices on this data sheet are recommended retail prices, subject to change, in €, plus VAT at the statutory rate, plus packaging, shipping, transport, unloading, assembly and, if applicable, instruction costs. Sales prices of the dealers can deviate. No liability is accepted for printing errors, mistakes or incorrect presentation. Technical and optical changes are reserved. Illustration partly with optional accessories.