DATASHEET

Woodbandsaw

HBS 231-1

Reliable band saws for precise work

Article number >

5902423

Brand >

Holzstar

Availability >

In stock

Immediate delivery

Catalog directory >

Woodworking machinery » Bandsaws » Holzstar HBS

Purchase >

Minimum 18 pc(s).

Pholzstar Holzbearbeitungsmaschinen



Delivery content ✓

- Saw band
- · Longitudinal stop with loupe
- Miter stop
- LED work light
- Push stick

Shipping informations >

| Packaging Metric | cs | Weights | | Delivery | | Other | |
|------------------|--------|---------|-------|----------|-----------|---------|-----|
| Length | 885 mm | Gross | 23 kg | Delivery | Carrier | DualUse | × |
| Width | 455 mm | Net | 20 kg | Content | 18 pc(s). | SCIP | n/a |
| Height | 335 mm | | | | | SVHC | No |

Root data 🗸


| Country of origin | EAN | Custom number | Quantity unit |
|-------------------|---------------|---------------|---------------|
| * China | 4036351265603 | 84659110 | pc(s). |

Description >

- Ideal for ambitious modellers and do-it-yourselfers
- Flywheels made of die-cast aluminum with special coating
- Aluminium cast iron worktable swiveling up to 45°
- Equipped with precise 3-rolls saw band guide above and below the table
- Aluminum longitudinal stop with quick clamping precisely adjustable with the aid of a magnifying glass and millimeter scale (except HBS 231-1)
- Two belt speeds adjustable (except HBS 231-1)

Media informations >





Low-friction, precise and easily adjustable 3-roller saw band guide on top.

Technical data >

| Dimensions and weights | | | |
|------------------------------|-----------|---------------------------------|----------|
| Length (product) approx. | 490 mm | Width/depth (product) approx. | 420 mm |
| Height (product) approx. | 835 mm | Net weight approx. | 20 kg |
| Extraction port | | | |
| Extraction port diameter | 53 mm | | |
| Work top(s) | | | |
| Work table length | 300 mm | Work table width | 300 mm |
| Work table height | 405 mm | Work table pivot | 0 – 45 ° |
| Electrical Data | | | |
| Supply voltage | 230 V | Mains frequency | 50 Hz |
| Input power | 0.3 kW | Delivery power | 0.17 kW |
| Cutting ranges | | | |
| Max. cutting height 90° | 90 mm | Max. cutting height 45° | 50 mm |
| Max. cutting width with stop | 125 mm | Max. cutting width without stop | 228 mm |
| Saw band | | | |
| Saw band speed(s) | 635 m/min | Flywheel diameter | 238 mm |
| Saw band length | 1575 mm | Saw band width | 6.35 mm |
| Saw band width max. | 10.0 mm | Saw band thickness | 0.35 mm |
| | | | |

Accessories >



Saw band 1575 x 6 x 0.36 mm, 14 TPI



Article number Availability 5160010

In stock Immediate delivery Purchase > Minimum 1 pc(s).

Purchase >

Purchase >

Minimum 1 pc(s).

Price informations >



Saw band

1575 x 6 x 0.5 mm, 6 TPI

Article number > Availability > 5160011 In stock

Minimum 1 pc(s). Immediate delivery

Zholzstar

Price informations >



Saw band

1575 x 10 x 0.5 mm, 4 TPI

Article number **∨** Availability **∨** 5160012 In stock

Immediate delivery

Zholzstar

Price informations >

Prices on this data sheet are recommended retail prices, subject to change, in €, plus VAT at the statutory rate, plus packaging, shipping, transport, unloading, assembly and, if applicable, instruction costs. Sales prices of the dealers can deviate. No liability is accepted for printing errors, mistakes or incorrect presentation. Technical and optical changes are reserved. Illustration partly with optional accessories.