

Sliding table saw

FKS 315-1500 E

Robust and precise, with swivel saw blade



Article number ▼

5900315

Brand ▼

Holzstar

Availability ▼

In stock

Immediate delivery

Catalog directory ▼

Woodworking machinery » Circular saw /
Sliding table saws » Sliding table saws »
FKS

Purchase ▼

Minimum 1 pc(s).




Delivery content ▼

- Sliding tray with boom
- edging shoe
- Rip fence with round bar guide and fine adjustment
- Saw blade guard with suction hose
- Table extension and widening
- Saw blade 315 x 30 x 3 mm 24 teeth

Shipping informations ▼

Packaging Metrics		Weights		Delivery		Other	
Length	n/a	Gross	270 kg	Delivery	Carrier	DualUse	✘
Width	n/a	Net	202 kg	Content	1 pc(s).	SCIP	n/a
Height	n/a					SVHC	No

Root data ▼

Country of origin	EAN	Custom number	Quantity unit
 China	4036351053743	84659120	pc(s).

Description ▼

- Work table made of grey cast iron for low-vibration work
- Saw unit swivels up to 45 degrees, adjustment via handwheel with scale
- Telescopic stop can be swivelled by 45° on both sides and extendable
- Saw blade height adjustable via handwheel
- Cutting plane directly on the saw blade
- Standard table widening and extension allow easy work with larger workpieces
- Large aluminium parallel stop on round rod guide with fine adjustment
- Large central suction connection with a diameter of 100 mm
- Saw blade protection hood with suction nozzle diameter 38 mm

Media informations ▼



Technical data ▼

Dimensions and weights			
Length (product) approx.	3480 mm	Width/depth (product) approx.	2430 mm
Height (product) approx.	1270 mm	Net weight approx.	202 kg
Extraction port			
Extraction port diameter bottom	100 mm	Saw blade protection extraction port diameter	38 mm
Electrical Data			
Supply voltage	400 V	Mains frequency	50 Hz
Absorbed power drive motor	3,0 kW	Delivery power	2,4 kW
Sliding carriage and table			
Table length	760 mm	Table width	350 mm
Work height	870 mm		
Circular saw unit			
Max. cutting width with rip fence	940 mm	Trimming length	1370 mm
Saw blade angle	90 – 45 °	Max. cutting height 90°	100 mm
Max. cutting height 45°	75 mm	(Main) saw blade diameter	315 mm
(Main) saw blade speed	4250 min ⁻¹		

Equipment ▼

Table broadening	✓	Table lengthening	✓
Saw blade cover	✓		

Accessories ▼



Edging and production cut circular saw blade KSB-BF 315/60

Highest quality level especially for industrial applications on stationary machines

Article number ▼
5263160

Availability ▼
In stock
Immediate delivery

Purchase ▼
Minimum 1 pc(s).

Price informations ▼



Edging and production cut circular saw blade KSB-BF 315/48

Highest quality level especially for industrial applications on stationary machines

Article number ▼
5263148

Availability ▼
In stock
Immediate delivery

Purchase ▼
Minimum 1 pc(s).

Price informations ▼



Cut-to-size alternating teeth circular saw blade KSB-WZ 315/28

Highest quality level especially for industrial applications on stationary machines

Article number ▼
5263128

Availability ▼
In stock
Immediate delivery

Purchase ▼
Minimum 1 pc(s).

Price informations ▼



Prices on this data sheet are recommended retail prices, subject to change, in €, plus VAT at the statutory rate, plus packaging, shipping, transport, unloading, assembly and, if applicable, instruction costs. Sales prices of the dealers can deviate. No liability is accepted for printing errors, mistakes or incorrect presentation. Technical and optical changes are reserved. Illustration partly with optional accessories.