DATASHEET

Thicknessing plane

DH 330

portable thicknessing planer with 330 mm planing width



5904330

Brand >

Holzstar

Availability >

In stock

Immediate delivery

Catalog directory >

Woodworking machinery » Planers » Thickness planers » Thickness planer Holzstar DH

Purchase >

Minimum 1 pc(s).

Access and a second a second and a second and a second and a second and a second an

Delivery content >

- Crank
- Extraction funnel
- Extraction adapter 64,5 mm / 101 mm
- 2 magnets for blade change
- Allen key

Shipping informations >

Packaging Metrics		Weights		Delivery		Other	
Length	630 mm	Gross	35 kg	Delivery	Carrier	DualUse	×
Width	410 mm	Net	33 kg	Content	1 pc(s).	SCIP	n/a
Height	480 mm					SVHC	No

Root data 🗸

Country of origin	EAN	Custom number	Quantity unit
* China	4036351259138	84659200	pc(s).

Description >

- Ideal for mobile use thanks to small, lightweight and compact design
- Robust welded steel design with stable cast worktop
- For processing solid wood
- Easy and precise adjustment of material removal with mechanical display
- Powerful motor with overcurrent protection and restart safeguard
- Easy and precise height adjustment with crank and clear-cut scale
- Fold-away feed and discharge tables with rollers for long workpieces
- With mains cable holder below the discharge table
- Integrated extraction funnel Ø 58 mm
- Extraction adapter to Ø 100 mm included in scope of delivery
- Four holes Ø 10 mm in machine base for fastening on workbenches

Media informations >













Mechanical material removal display



Space-saving design – length only 640 mm with tables folded out



Small footprint with tables folded in, and thus easily stored






Easy to transport and thus ideal for mobile use

Height adjustment via crank and scale








Technical data >

Dimensions and weights			
Length (product) approx.	640 mm	Width/depth (product) approx.	585 mm
Height (product) approx.	490 mm	Net weight approx.	33 kg
Jointing			
Max. cutting depth of joints	2.8 mm		
Extraction port			
Extraction port diameter thickness	52.5 mm		
Thickness			
Thicknessing table length	235 mm	Thicknessing table width	330 mm
Working height min. thickness	6 mm	Working height max. thickness	152 mm
Max. cutting depth thickness	2,8 mm		
Electrical Data			
Drive motor output	0.9 kW	Absorbed power drive motor	1,5 kW
Supply voltage	230 V	Mains frequency	50 Hz
Noise emission			
Sound pressure level Lp	85 dB(A)	Sound power level Lw	94 dB(A)
Planing knife shaft			
Planing shaft type	Strip planer blade shaft	Planing shaft diameter	50 mm
Number of planing blades	2	Planing shaft speed	8500 min 1
Max. planing width	330 mm		
Feed			
Feed speed	6 m/min		

Accessories >



Replacement set planer knife DH 330 HSS (2 pieces)

5915330

Article number **∨** Availability **∨** Purchase > Minimum 1 Set (2 In stock

pc(s).)

Price informations >

Xholzstar

Prices on this data sheet are recommended retail prices, subject to change, in €, plus VAT at the statutory rate, plus packaging, shipping, transport, unloading, assembly and, if applicable, instruction costs. Sales prices of the dealers can deviate. No liability is accepted for printing errors, mistakes or incorrect presentation. Technical and optical changes are reserved. Illustration partly with optional accessories.

Immediate delivery