

Surface and thickness planer

ADH 200 AS

Compact portable version with integrated extraction



Article number ▼

5905200

Brand ▼

Holzstar

Availability ▼

In stock
Immediate delivery

Catalog directory ▼

Woodworking machinery » Planers »
Surface and thickness planers » Surface
and thickness planer ADH

Purchase ▼

Minimum 1 pc(s).




Delivery content ▼

- Reversible chip extractor hood
- Integrated suction
- Chip collection bag
- Infinitely tiltable aluminum dressing stop from 0° to 45°
- Push stick

Shipping informations ▼

Packaging Metrics		Weights		Delivery		Other	
Length	830 mm	Gross	32 kg	Delivery	Carrier	DualUse	✘
Width	530 mm	Net	29 kg	Content	1 pc(s).	SCIP	n/a
Height	425 mm					SVHC	No

Root data ▼

Country of origin	EAN	Custom number	Quantity unit
 China	4036351034780	84659200	pc(s).

Description ▼

- Ideal for mobile use due to its small and compact design
- For angular joining (90°) and straightforward dressing of solid wood, boards and strips
- Simple and precise adjustment of the chip removal for dimensionally accurate thickness planing of up to 2 mm
- Geared steel pickup roller for smooth and constant logging
- Rubberised exhaust roller protects the wood surface during thickening
- Infinitely tiltable aluminum dressing stop from 90° to 45°
- Dressing and thickening table made of milled cast aluminum
- Knife shaft with 2 HSS planing knives
- Powerful 230 Volt motor with 1.5 kW
- Reversible chip extractor hood

Media informations ▼



Technical data ▼

Dimensions and weights			
Length (product) approx.	790 mm	Width/depth (product) approx.	470 mm
Height (product) approx.	465 mm	Net weight approx.	29 kg

Joining			
Infeed table length	737 mm	Infeed table width	210 mm
Max. cutting depth of joints	2 mm	Planing stop length	590 mm
Planing stop height	102 mm	Planing stop pivoting range	90 – 45 °
Extraction port			
Extraction port diameter thickness	58 mm		
Thickness			
Thicknessing table length	350 mm	Thicknessing table width	204 mm
Working height min. thickness	5 mm	Working height max. thickness	120 mm
Electrical Data			
Drive motor output	1,5 kW	Supply voltage	230 V
Mains frequency	50 Hz		
Planing knife shaft			
Planing shaft type	Strip planer blade shaft	Planing shaft diameter	50 mm
Number of planing blades	2 St	Planing shaft speed	8500 min ⁻¹
Max. planing width	204 mm		
Feed			
Feed speed	7 m/min		

Equipment ▼

Extraction	integrated	
------------	------------	--

Accessories ▼



Replacement set planer knife 210 x 22 x 1.8 mm HSS (2 pieces)




Article number ▼
5915200

Availability ▼
In stock
Immediate delivery

Purchase ▼
Minimum 1 Set (2
pc(s).)

Price informations ▼



Filter bag für ADH 200 AS



Article number ▼
5915201

Availability ▼
No stock available
Information:
Incoming stocks
Expected on
calendar week
45/2023

Purchase ▼
Minimum 1 pc(s).

Price informations ▼



Reduction sleeve, not beaded Ø 100 mm weit, 60 mm eng



Article number ▼
5142427

Availability ▼
In stock
Immediate delivery

Purchase ▼
Minimum 1 pc(s).

Price informations ▼



Reduction sleeve, not beaded
Ø 100 mm wide, 80 mm narrow



Article number ▼

5142421

Availability ▼

In stock
Immediate delivery

Purchase ▼

Minimum 1 pc(s).

Price informations ▼

Prices on this data sheet are recommended retail prices, subject to change, in €, plus VAT at the statutory rate, plus packaging, shipping, transport, unloading, assembly and, if applicable, instruction costs. Sales prices of the dealers can deviate. No liability is accepted for printing errors, mistakes or incorrect presentation. Technical and optical changes are reserved. Illustration partly with optional accessories.