

DATASHEET

Surface and thickness planer

ADH 250

Compact portable design

Article number v 5905250

Brand V Holzstar

Availability v

In stock Immediate delivery

Catalog directory v

Woodworking machinery » Planers » Surface and thickness planers » Surface and thickness planer ADH

Purchase 🗸

Minimum 1 pc(s).





Shipping informations v

Packaging Metrics		Weights		Delivery		Other	
Length	1,150 mm	Gross	43 kg	Delivery	Carrier	DualUse	×
Width	540 mm	Net	40 kg	Content	1 pc(s).	SCIP	n/a
Height	550 mm					SVHC	No

Root data 🗸

Country of origin	EAN	Custom number	Quantity unit
*) China	4036351034797	84659200	pc(s).

Description ~

- · Ideal for mobile use due to its small and compact design
- For angular joining (90°) and straightforward dressing of solid wood, boards and strips
- Simple and precise adjustment of the chip removal for dimensionally accurate thickness planing of up to 2 mm
- Automatic workpiece feed
- Rubberised exhaust roller protects the wood surface during thicknessing
- Infinitely tiltable aluminum dressing stop from 90° to 45°
- Dressing table made of milled cast aluminum
- Knife shaft with 2 HSS planing knives
- Powerful 230 Volt motor with 1.5 kW
- Reversible chip extractor hood

Media informations ~



Technical data 🗸

Dimensions and weights			
Length (product) approx.	1105 mm	Width/depth (product) approx.	550 mm
Height (product) approx.	570 mm	Net weight approx.	40 kg
Jointing			
Infeed table length	1050 mm	Infeed table width	260 mm
Max. cutting depth of joints	2 mm	Planing stop length	610 mm
Planing stop height	122 mm	Planing stop pivoting range	90 – 45 °
Extraction port			
Extraction port diameter thickness	80 mm		
Thickness			
Thicknessing table length	450 mm	Thicknessing table width	254 mm
Working height min. thickness	6 mm	Working height max. thickness	160 mm
Electrical Data			
Drive motor output	1,5 kW	Supply voltage	230 V
Mains frequency	50 Hz		
Planing knife shaft			
Planing shaft type	Strip planer blade shaft	Planing shaft diameter	50 mm
Number of planing blades	2 St	Planing shaft speed	8500 min 1
Max. planing width	254 mm		
Feed			
Feed speed	7 m/min		

Accessories 🗸

Reduction sleeve, not beaded Ø 100 mm weit, 60 mm eng				
Article number ∨ 5142427	Availability ✓ In stock Immediate delivery	Purchase ✓ Minimum 1 pc(s).	Price informations v	
Replacement s 258 x 22 x 2 m	et planer knife ım HSS (2 piece	s)		
Article number ∨ 5915250	Availability V In stock Immediate delivery	Purchase ↓ Minimum 1 Set (2 pc(s).)	Price informations v	
	ve, not beaded e, 80 mm narrov	1		
Article number ✓ 5142421	Availability ∨ In stock Immediate delivery	Purchase 	Price informations 🗸	

Prices on this data sheet are recommended retail prices, subject to change, in €, plus VAT at the statutory rate, plus

packaging, shipping, transport, unloading, assembly and, if applicable, instruction costs. Sales prices of the dealers can deviate. No liability is accepted for printing errors, mistakes or incorrect presentation. Technical and optical changes are reserved. Illustration partly with optional accessories.