

Mobile MIG/MAG Inverter

SYN-MIG 303i

Infinitely variable. Universal workshop machine for steel, stainless steel and aluminum

Article number ▼

1089033

Brand ▼

Schweisskraft

Availability ▼

No stock available

Information:

Next availability

Expected on calendar week 43/2023

Catalog directory ▼

Welding technology » MIG/MAG welding machines » MIG/MAG welding machines, infinitely variable » SYN-MIG i SC

Purchase ▼

Minimum 1 pc(s).


Delivery content ▼

- feed rollers 0.8 - 1.0 mm
- ground cable 4m, 35 mm²
- Basket coil adapter D300
- pressure reducer large
- burner SMB 36, 3 m
- Mains cable 5 m with 5-pin plug 16A

Shipping informations ▼

Packaging Metrics		Weights		Delivery		Other	
Length	800 mm	Gross	36 kg	Delivery	Carrier	DualUse	✘
Width	560 mm	Net	31 kg	Content	1 pc(s).	SCIP	n/a
Height	800 mm					SVHC	No

Root data ▼

Country of origin	EAN	Custom number	Quantity unit
 Slovenia	4036351261599	85153990	pc(s).

Video ▼

www.youtube.com/watch?v=q4RO0wSOJ8o





Quality -
Made in Europe

Description ▼

- Modern and proven inverter technology with synergy function
- Meets all requirements of the EU directive for eco-design
- 4-roll precision feed system
- Synergie function continuously adjusts the material thickness and power and the wire adjusts itself
- Fast to the perfect result after setting in three steps:
 1. Gas, material, diameter
 2. 2/4 cycle, points, interval
 3. Material thickness
- Sensitive adjustment due to stepless controllability. Your advantage: Fast to the perfect result
- Standard equipment: 2-stroke/4-stroke, spot and interval welding, gas test function, operation and overload indicator, temperature-controlled fan
- Typical fields of application: locksmith's shop, mechanical engineering, agriculture, automotive workshop, maintenance, repairs
- Base materials: structural steels, non-alloyed and low-alloyed materials, CrNi steels ferritic/austenitic, aluminum alloys
- E-hand welding possible
- SYN-MIG 403i SC-WS without intermediate hose package. Please order separately.
- Two years welding force guarantee

Quality - Made in Europe

Basic features ▼

Method

- MAG
- MIG
- E-Hand

Sheet thicknesses

- From 0.8 mm for steel and stainless steel (MAG)
- From 2 mm for aluminium (MIG)

Base materials

- Structural steels
- Unalloyed and low-alloyed materials
- CrNi steels ferritic/austenitic
- Aluminium alloys

Typical applications

- Locksmithery, mechanical engineering
- agriculture, car workshop
- Maintenance, repair

Media informations ▼




Technical data ▼

Dimensions and weights			
Length (product) approx.	795 mm	Width/depth (product) approx.	540 mm
Height (product) approx.	700 mm	Net weight approx.	31 kg
Setting range			
Setting range MIG/MAG	30 – 300 A		
Duty cycle			
Duty cycle at I _{max} 40°C	40 %	Current at 100% DC 40°C	200 A
Electrical Data			
Supply voltage	3 x 400 V	Mains frequency	50 Hz
Wire feed			
weldable wires steel	0.8 mm	weldable wires stainless steel	1.2 mm
weldable wires aluminium	1.0 – 1.2 mm	Wire feet unit	4 Rollers
Wire feed speed	1,0 – 22 m/min	Wire feed rolls/driven	4 Rollers
Power consumption			
Power factor	0.93 cos phi		
Electrical connections			
Required generator output	18 kVA	Open circuit voltage	55 V
Cooling			
Torch cooling	gas		

Equipment ▼

Type of construction	compact
----------------------	---------

Accessories ▼



MIG/MAG torch kit BK 36/50



Article number ▼
1093611

Availability ▼
In stock
Immediate delivery

Purchase ▼
Minimum 1 pc(s).

Price informations ▼



Feed roller single for cored wire 1.0 – 1.2 mm K-groove



Article number ▼
1016210

Availability ▼
No stock available
Information:
Next availability
Expected on
calendar week
42/2023

Purchase ▼
Minimum 1 pc(s).

Price informations ▼



Counter-pressure roller smooth



Article number ▼
1016202

Availability ▼
No stock available
Information:
Next availability
Unknown

Purchase ▼
Minimum 1 pc(s).

Price informations ▼



Universal torch holder



Article number ▼
1090011

Availability ▼
No stock available
Information:
Next availability
Unknown

Purchase ▼
Minimum 1 pc(s).

Price informations ▼



Wear parts set VTS SMB 36



Article number ▼
1093600

Availability ▼
No stock available
Information:
Next availability
Unknown

Purchase ▼
Minimum 1 pc(s).

Price informations ▼
Revoked article



Feed roller single for aluminum wire 1.0 – 1.2 mm U-groove



Article number ▼
1016112

Availability ▼
In stock
Immediate delivery

Purchase ▼
Minimum 1 pc(s).

Price informations ▼



Feed roller single for steel and stainless steel wire

0.8 – 1.0 mm V-groove

Article number ▼
1016010

Availability ▼
In stock
Immediate delivery

Purchase ▼
Minimum 1 pc(s).



Price informations ▼



Feed roller single for steel and stainless steel wire

1.0 – 1.2 mm V-groove

Article number ▼
1016012

Availability ▼
In stock
Immediate delivery

Purchase ▼
Minimum 1 pc(s).



Price informations ▼



Feed roller single for steel and stainless steel wire

1.2 – 1.6 mm V-groove

Article number ▼
1016016

Availability ▼
In stock
Immediate delivery

Purchase ▼
Minimum 1 pc(s).



Price informations ▼



Feed roller single for aluminum wire

1.2 – 1.6 mm U-groove

Article number ▼
1016116

Availability ▼
In stock
Immediate delivery

Purchase ▼
Minimum 1 pc(s).



Price informations ▼



Feed roller single for aluminum wire

0.8 – 1.0 mm U-groove

Article number ▼
1016110

Availability ▼
In stock
Immediate delivery

Purchase ▼
Minimum 1 pc(s).



Price informations ▼



Coolant
RKF 15 / 5 l

Article number ▼
1030005

Availability ▼
Order-related purchase

Purchase ▼
Minimum 1 pc(s).



Price informations ▼
Revoked article



Coolant
RKF 15/10 I



Article number ▼
1030010

Availability ▼
Blocked article

Purchase ▼
Minimum 1 pc(s).

Price informations ▼
Revoked article



Coolant
RKF 15 / 25 I



Article number ▼
1030025

Availability ▼
No stock available
Information:
Next availability
Unknown

Purchase ▼
Minimum 1 pc(s).

Price informations ▼
Revoked article



Coolant
SKF 15 / 5 I



Article number ▼
1030105

Availability ▼
In stock
Immediate delivery

Purchase ▼
Minimum 1 pc(s).

Price informations ▼



Coolant
SKF 15 / 10 I



Article number ▼
1030110

Availability ▼
In stock
Immediate delivery

Purchase ▼
Minimum 1 pc(s).

Price informations ▼



Coolant
SKF 15 / 25 I



Article number ▼
1030125

Availability ▼
In stock
Immediate delivery

Purchase ▼
Minimum 1 pc(s).

Price informations ▼

Prices on this data sheet are recommended retail prices, subject to change, in €, plus VAT at the statutory rate, plus packaging, shipping, transport, unloading, assembly and, if applicable, instruction costs. Sales prices of the dealers can deviate. No liability is accepted for printing errors, mistakes or incorrect presentation. Technical and optical changes are reserved. Illustration partly with optional accessories.