

## Table router

### minimax t 55 es M Digital

The professional craftsman machine with motorized height-adjustable and swiveling milling spindle and four speeds.



#### Article number ▼

5502253

#### Brand ▼

Holzkraft

#### Availability ▼

In stock  
Immediate delivery

#### Catalog directory ▼

Woodworking machinery » Moulders »  
minimax t es

#### Purchase ▼

Minimum 1 pc(s).




#### Delivery content ▼

- Aluminum Fräsanschlagbacken
- Bogenfrässchutzhaube
- Motorized height-adjustable and swiveling milling spindle
- Digital display of the set values
- Speed indicator on the front of the machine via LED

#### Shipping informations ▼

Packaging Metrics		Weights		Delivery		Other	
Length	n/a	Gross	510 kg	Delivery	Carrier	DualUse	✘
Width	n/a	Net	510 kg	Content	1 pc(s).	SCIP	n/a
Height	n/a					SVHC	No

#### Root data ▼

Country of origin	EAN	Custom number	Quantity unit
 Italy	4036351243588	84659200	pc(s).



MADE IN ITALY

## Description ▼

- Stable steel gray cast iron construction
- Large dimensioning milling unit made of cast iron, swiveling to  $-45^\circ$  to the rear
- Display of milling speeds by LEDs
- Fast, trouble-free speed change via eccentric tension
- Forward and reverse running
- Display height and inclination 1/10 mm exactly
- Heavy-duty milling stop: with fine adjustment via toothed rack, with numeric display, aluminum stop jaws, 3-positionable for quick repetition of adjustment

## Media informations ▼



## Technical data ▼

Dimensions and weights			
Length (product) approx.	1200 mm	Width/depth (product) approx.	855 mm
Extraction port			
Extraction port diameter	2 x 120 mm		
Work table			
Work table length	1080 mm	Work table width	655 mm
Footprint			
Space requirement length	1960 mm	Space requirement width/depth	1005 mm
Space requirement explanation	The specifications take into account maximum travel distances or useful lengths.	Machine body length	1200 mm
Machine body width/length	855 mm	Work area length	1600 mm

Work area width/depth	2300 mm	Explanation of work area	Please add the given dimensions with the required space to obtain the free space recommended for the machine.
<b>Electrical Data</b>			
Supply voltage	400 V	Mains frequency	50 Hz
Drive motor output	5.0 kW		
<b>Milling spindle</b>			
Spindle angle	0 – -45 °	Usable spindle length	125 mm
Spindle speed(s)	3500/6000/8000/10000 min <sup>-1</sup>	Spindle arbor diameter	30 mm
<b>Milling cutter diameter max.</b>			
Max. tool diameter	240 mm	Max. tool diameter lowerable	230 mm
Max. tool diameter profile milling	210-240 mm	Max. tool diameter tenoning milling	320 mm

## Accessories ▾



### Table extension on both sides for profiling



**Article number ▾**

5515556

**Availability ▾**

In stock  
Immediate delivery

**Purchase ▾**

Minimum 1 pc(s).

**Price informations ▾**

Revoked article



### Milling cutter table with protective cover Ø 275 mm



**Article number ▾**

5515562


**Availability ▾**

No stock available  
Information:  
Next availability  
Unknown

**Purchase ▾**

Minimum 1 pc(s).

**Price informations ▾**



### Spare tool mandrel Ø30 mm, usable length 90 mm



**Article number ▾**

5515558-30


**Availability ▾**

No stock available  
Information:  
Next availability  
Unknown

**Purchase ▾**

Minimum 1 pc(s).

**Price informations ▾**



### Spare tool mandrel Ø40 mm, usable length 90 mm



**Article number ▾**

5515558-40

**Availability ▾**

No stock available  
Information:  
Next availability  
Unknown

**Purchase ▾**

Minimum 1 pc(s).

**Price informations ▾**



### Replacement tool mandrel with collet holder ESWDSPZTR



**Article number** ▼  
5515563

**Availability** ▼  
No stock available  
Information:  
Next availability  
Unknown

**Purchase** ▼  
Minimum 1 pc(s).

**Price informations** ▼



### System stop jaws, adjustable 500 mm



**Article number** ▼  
5851000

**Availability** ▼  
In stock  
Immediate delivery

**Purchase** ▼  
Minimum 1 pair

**Price informations** ▼



### Integral stop 2 x 500 mm



**Article number** ▼  
5850223

**Availability** ▼  
No stock available  
Information:  
Next availability  
Unknown

**Purchase** ▼  
Minimum 1 pc(s).

**Price informations** ▼



### Integral stop 2 x 650 mm



**Article number** ▼  
5850243

**Availability** ▼  
No stock available  
Information:  
Next availability  
Unknown

**Purchase** ▼  
Minimum 1 pc(s).

**Price informations** ▼

## Options equipment ▼



### Quick-change spindle



**Article number** ▼  
5515557

**Availability** ▼  
No stock available  
Information:  
Next availability  
Unknown

**Purchase** ▼  
Minimum 1 pc(s).

**Price informations** ▼



### Swivel arm for feed unit



**Article number** ▼  
5515560

**Availability** ▼  
No stock available  
Information:  
Next availability  
Unknown

**Purchase** ▼  
Minimum 1 pc(s).

**Price informations** ▼

**Motor power**

7.0 kW

**Article number** ▼

5515561

**Availability** ▼No stock available  
Information:  
Next availability  
Unknown**Purchase** ▼

Minimum 1 pc(s).

**Price informations** ▼

Prices on this data sheet are recommended retail prices, subject to change, in €, plus VAT at the statutory rate, plus packaging, shipping, transport, unloading, assembly and, if applicable, instruction costs. Sales prices of the dealers can deviate. No liability is accepted for printing errors, mistakes or incorrect presentation. Technical and optical changes are reserved. Illustration partly with optional accessories.