

Semi automatic multi spindle drilling machine MDB 29 PRO



Horizontal and vertical drilling for making furniture

Article number ▼

5301029

Brand ▼

Holzkraft

Availability ▼

In stock
Immediate delivery

Catalog directory ▼

Woodworking machinery » Drilling machines » Semi automatic multi spindle drilling machine MDB PRO

Purchase ▼

Minimum 1 pc(s).




Delivery content ▼

- Two pneumatic pressure cylinders
- Two fence jaws, each 1.5 m long
- Four folding stops for the fence jaws
- One setting gauge for fine adjusting the folding stops on the fence jaws

Shipping informations ▼

Packaging Metrics		Weights		Delivery		Other	
Length	1,260 mm	Gross	344 kg	Delivery	Carrier	DualUse	✘
Width	950 mm	Net	290 kg	Content	1 pc(s).	SCIP	n/a
Height	1,065 mm					SVHC	No

Root data ▼

Country of origin	EAN	Custom number	Quantity unit
 Italy	4036351329596	84659500	pc(s).

Description ▼

- 29 drilling spindles with quick-release system and five quick-action chucks included
- Solid steel work table
- Patented system for quick and easy drilling depth adjustment via spiral disc
- Pneumatic drill head tilting, for drilling in any position between 0° and 90°
- Double guided cast iron side stops precisely adjustable via rotary wheel with counter
- Drill head adjustment via counter
- Two positionable pneumatic clamping cylinders
- Thanks to 896 mm distance between the axis, it is even possible to machine 2 work pieces with a width of 444 mm each

Media informations ▼



Pneumatic drill head pivoting
for drilling in any position between 0° and 90°

Patented system
for quick and easy drilling depth adjustment via spiral disk

Technical data ▼







Dimensions and weights			
Work table length	1141 mm	Work table width	338 mm

Length (product) approx.	1480 mm	Width/depth (product) approx.	950 mm
Height (product) approx.	1300 mm	Net weight approx.	290 kg
Electrical Data			
Drive motor input	1,5 kW	Drive motor output	1,1 kW
Nominal operating mode drive motor	S3	Supply voltage	400 V
Mains frequency	50 Hz		
Noise emission			
Sound pressure level	78.3 dB(A)		
Pneumatic connection			
Working pressure	6 – 8 bar		
Spindle			
Max. drilling width	896 mm	Drilling depth max. at 90°	65 mm
Number of spindles	29	Distance between spindles	32 mm
Spindle distance first to last	896 mm	Spindle distance sufficient for	Two workpieces, each 348 mm in width
Spindle speed(s)	2800 min ⁻¹	Swivel of drill unit	0 – 90 °
Max. height of workpiece	130 mm		
Extraction			
Extraction port diameter	80 mm		

Equipment ▼

Side stop	made of cast iron, double guided - precise adjustment via rotary wheel with counter	
-----------	---	--

Accessories ▼

	Keyless drill chuck MDB 21/23/29 PRO	
Article number ▼	Availability ▼	Purchase ▼
5302100	In stock Immediate delivery	Minimum 1 pc(s).
		Price informations ▼
	Brackets for side stops MDB 23/29 PRO	
Article number ▼	Availability ▼	Purchase ▼
5302101	In stock Immediate delivery	Minimum 1 pc(s).
		Price informations ▼
	90° angle stop and 45° mitre stop MDB 21/23/29 PRO	
Article number ▼	Availability ▼	Purchase ▼
5302200	In stock Immediate delivery	Minimum 1 pc(s).
		Price informations ▼



Additional pressure cylinder MDB 21 PRO



Article number ▼
5302301

Availability ▼
In stock
Immediate delivery

Purchase ▼
Minimum 1 pc(s).

Price informations ▼



Reference bolt for assembly drills MDB 21 PRO



Article number ▼
5302302

Availability ▼
In stock
Immediate delivery

Purchase ▼
Minimum 1 pc(s).

Price informations ▼



Setting gauge for rear stop distance MDB 21 PRO



Article number ▼
5302303

Availability ▼
In stock
Immediate delivery

Purchase ▼
Minimum 1 pc(s).

Price informations ▼



Grass hinge drilling motor Grass



Article number ▼
5302400

Availability ▼
In stock
Immediate delivery

Purchase ▼
Minimum 1 pc(s).

Price informations ▼



Grass hinge drilling motor Blum



Article number ▼
5302401

Availability ▼
In stock
Immediate delivery

Purchase ▼
Minimum 1 pc(s).

Price informations ▼



Grass hinge drilling motor Hettich



Article number ▼
5302402

Availability ▼
In stock
Immediate delivery

Purchase ▼
Minimum 1 pc(s).

Price informations ▼

Prices on this data sheet are recommended retail prices, subject to change, in €, plus VAT at the statutory rate, plus packaging, shipping, transport, unloading, assembly and, if applicable, instruction costs. Sales prices of the dealers can deviate. No liability is accepted for printing errors, mistakes or incorrect presentation. Technical and optical changes are reserved. Illustration partly with optional accessories.

