

Slot mortising machine LLB 16 PB (230 V)



Cost-effective and compact model with right-left rotation, miter stop and dowel boring device

Article number

5906016

Brand

Holzstar

Availability

In stock
Immediate delivery

Catalog directory

Woodworking machinery » Slot mortising machines

Purchase

Minimum 1 pc(s).




Delivery content

- Eccentric clamp
- Angle stop $\pm 60^\circ$ with ruler

Shipping informations

Packaging Metrics		Weights		Delivery		Other	
Length	930 mm	Gross	142 kg	Delivery	Carrier	DualUse	✘
Width	750 mm	Net	108 kg	Content	1 pc(s).	SCIP	n/a
Height	1,160 mm					SVHC	No

Root data

Country of origin	EAN	Custom number	Quantity unit
 China	4036351264996	84659500	pc(s).

Description

- Serial drilling possible with dowel boring device with ratchet pitch 16/22/25/32 mm
- Wescott drill chuck 0 - 16 mm standard
- Right-left rotation
- Powerful motor
- Simple one-hand lever operation of the workbench for fast and precise drilling.
- Roller guide enables precise working table operation
- Convenient, exact table height adjustment with numeric display.
Adjusted working table height additionally readable by scale
- An eccentric clamp for different workpiece fixation in scope of delivery
- Angle stop adjustable on both sides by 60°
- Underfloor equipped with large, lockable tool compartment

Media informations



Adjusted height of workbench additionally readable on scale



Angle stop adjustable on both sides by 60°



Series drilling through dowels drilling device with ratchet pitch 16/22/25/32 mm possible







Convenient, exact table height adjustment via handwheel with numerical display

Technical data ▼

General features			
Drilling width	300 mm	Max. drilling depth at 90°	140 mm
Work table height adjustment	150 mm	Work table length	500 mm
Work table width	207 mm	Tool clamping diameter	0 – 16 mm
Spindle speed(s)	2850 min ⁻¹	Extraction port diameter	100 mm
Dimensions and weights			
Length (product) approx.	905 mm	Width/depth (product) approx.	710 mm
Height (product) approx.	1230 mm	Net weight approx.	108 kg
Electrical Data			
Supply voltage	230 V	Mains frequency	50 Hz
Drive motor output	1,5 kW		

Accessories ▼

	<p>Universal suspension UF 230 With 230 kg load capacity</p> <p>Article number ▼ 6190230 Availability ▼ In stock Immediate delivery</p> <p>Purchase ▼ Minimum 1 pc(s).</p> <p style="text-align: right;">Price informations ▼</p>	
	<p>Long hole drill set 5-part, clockwise</p> <p>Article number ▼ 5333682 Availability ▼ In stock Immediate delivery</p> <p>Purchase ▼ Minimum 1 pc(s).</p> <p style="text-align: right;">Price informations ▼</p>	



Long hole drill set 5-part, left-handed



Article number ▼

5333681

Availability ▼

In stock
Immediate delivery

Purchase ▼

Minimum 1 pc(s).

Price informations ▼

Prices on this data sheet are recommended retail prices, subject to change, in €, plus VAT at the statutory rate, plus packaging, shipping, transport, unloading, assembly and, if applicable, instruction costs. Sales prices of the dealers can deviate. No liability is accepted for printing errors, mistakes or incorrect presentation. Technical and optical changes are reserved. Illustration partly with optional accessories.