

Surface planer

minimax f 41es TERSA

With TERSA planer blade quick change system



Article number ▼

5503412

Brand ▼

Holzkraft

Availability ▼

In stock
Immediate delivery

Catalog directory ▼

Woodworking machinery » Planers »
Surface planers » Surface planer minimax f
es

Purchase ▼


Minimum 1 pc(s).



Shipping informations ▼

Packaging Metrics		Weights		Delivery		Other	
Length	800 mm	Gross	417 kg	Delivery	Carrier	DualUse	✘
Width	2,200 mm	Net	411 kg	Content	1 pc(s).	SCIP	n/a
Height	1,100 mm					SVHC	No

Root data ▼

Country of origin	EAN	Custom number	Quantity unit
 Italy	4036351221425	84659200	pc(s).




MADE IN ITALY

Description ▼

- TERSA quick-change system for changing planing knives in seconds
- Four-blade shaft for best planing results
- Quiet running due to precision unit and heavy cast iron design
- Long dressing tables for precise dressing
- Robust dressing tables made of ribbed grey cast iron, milled and stress-free, thus insensitive and permanently flat
- Large, stable aluminium dressing fence with round rod guide (1200 x 150 mm), easily movable and inclinable up to 45°
- With auxiliary fence as standard
- Powerful 5.0 kW industrial motor
- Sturdy cast steel construction
- Oblong hole drilling device can be retrofitted

Media informations ▼




Dressing fence

- Sturdy, large aluminium dressing fence (1200 x 160 mm) with auxiliary stop
- With precise round bar guide




Auxiliary stop

- For safe planing even of narrow workpieces



Planing mills

- Helical toothed steel infeed rollers for a constant and even wood infeed
- Massive kick-back guards prevent the kick-back of workpieces
- 4-blade shaft ensures an optimal planing pattern



TERSA planer cutterhead

- No more adjusting and screwing
- Change planing knives in seconds
- Particularly low noise
- Perfect planing result

Technical data ▾

Dimensions and weights			
Length (product) approx.	2200 mm	Width/depth (product) approx.	1160 mm
Net weight approx.	411 kg		

Joining			
Total length of table	2200 mm	Working height	850 mm
Max. cutting depth of joints	8 mm	Planing stop length	1200 mm
Planing stop height	160 mm		
Extraction port			
Extraction port diameter thickness	120 mm		
Footprint			
Space requirement length	2200 mm	Space requirement width/depth	1230 mm
Space requirement explanation	The dimensions take into account maximum travel distances or useful lengths.	Work area length	1600 mm
Work area width/depth	1600 mm	Explanation about work area	Please add the given dimensions with the required space to obtain the free space recommended for the machine.
Electrical Data			
Drive motor output	5 kW	Supply voltage	400 V
Mains frequency	50 Hz		
Planing knife shaft			
Planing shaft type	TERSA	Planing shaft diameter	95 mm
Number of planing blades	4 St	Planing shaft speed	5000 min ⁻¹
Max. planing width	410 mm		

Accessories ▾



Slot mortising equipment LLBE F-ELITE-S




Article number ▾
5514500

Availability ▾
No stock available
Information:
Next availability
Unknown

Purchase ▾
Minimum 1 pc(s).

Price informations ▾



Long hole drill set 5-part, clockwise



Article number ▾
5333682

Availability ▾
In stock
Immediate delivery

Purchase ▾
Minimum 1 pc(s).

Price informations ▾



Reversible planer knife Tersa 410 x 10 x 2.3 mm chrome (4 pieces) Quality at reasonable prices



Article number ▾
5270411

Availability ▾
In stock
Immediate delivery

Purchase ▾
Minimum 1 Set (4
pc(s).)

Price informations ▾



Reversible planer knife Tersa 410 x 10 x 2.3 mm M+ HSS (4 pieces)

Quality at reasonable prices



Article number ▼
5271411

Availability ▼
In stock
Immediate delivery

Purchase ▼
Minimum 1 Set (4
pc(s).)

Price informations ▼



Replacement blade for spiral knife shaft 15 x 15 x 2.5 mm



Article number ▼
5514127

Availability ▼
In stock
Immediate delivery

Purchase ▼
Minimum 1 PU (10
pc(s).)

Price informations ▼

Options equipment ▼



Spiral blade shaft SMW 410 elite s



Article number ▼
5514329

Availability ▼
No stock available
Information:
Next availability
Unknown

Purchase ▼
Minimum 1 pc(s).

Price informations ▼

Prices on this data sheet are recommended retail prices, subject to change, in €, plus VAT at the statutory rate, plus packaging, shipping, transport, unloading, assembly and, if applicable, instruction costs. Sales prices of the dealers can deviate. No liability is accepted for printing errors, mistakes or incorrect presentation. Technical and optical changes are reserved. Illustration partly with optional accessories.