

zkaf

Surface planer

minimax f 52es TERSA

With TERSA planer blade quick change system

Article number ~

5503521

Brand V Holzkraft

Holzkraft

Availability 🗸

In stock Immediate delivery

Catalog directory v

Woodworking machinery » Planers » Surface planers » Surface planer minimax f es

Purchase 🗸

Minimum 1 pc(s).

Shipping informations v

Packaging Me	trics	Weights		Delivery		Other	
Length	850 mm	Gross	473 kg	Delivery	Carrier	DualUse	×
Width	2,260 mm	Net	465 kg	Content	1 pc(s).	SCIP	n/a
Height	1,100 mm					SVHC	No

Root data 🗸

Country of origin	EAN	Custom number	Quantity unit
Italy	4036351221456	84659200	pc(s).



Description 🗸



- TERSA quick-change system for changing planing knives in seconds
- Four-blade shaft for best planing results
- Quiet running due to precision unit and heavy cast iron design
- Long dressing tables for precise dressing
- Robust dressing tables made of ribbed grey cast iron, milled and stress-free, thus insensitive and permanently flat
- Large, stable aluminium dressing fence with round rod guide (1200 x 150 mm), easily movable and inclinable up to 45°
- With auxiliary fence as standard
- Powerful 5.0 kW industrial motor
- Sturdy cast steel construction
- Oblong hole drilling device can be retrofitted

Media informations v






Dressing fence

- Sturdy, large aluminium dressing fence (1200 x 160 mm) with auxiliary stop
- With precise round bar guide






Auxiliary stop

• For safe planing even of narrow workpieces

Planing mills

- Helical toothed steel infeed rollers for a constant and even wood infeed
- Massive kick-back guards prevent the kick-back
 of workpieces
- 4-blade shaft ensures an optimal planing pattern



TERSA planer cutterhead

- No more adjusting and screwing
- Change planing knives in seconds
- Particularly low noise
- · Perfect planing result

Technical data 🗸

Dimensions and weights			
Length (product) approx.	2250 mm	Width/depth (product) approx.	1370 mm
Net weight approx.	465 kg		

Jointing			
Total length of table	2250 mm	Max. cutting depth of joints	8 mm
Planing stop length	1200 mm	Planing stop height	160 mm
Extraction port			
Extraction port diameter thickness	120 mm		
Footprint			
Space requirement length	2250 mm	Space requirement width/depth	1440 mm
Space requirement explanation	The dimensions take into account maximum travel distances or useful lengths.	Work area length	1000 mm
Work area width/depth	3500 mm	Explanation about work area	Please add the given dimensions with the required space to obtain the free space recommended for the machine.
Thickness			
Max. cutting depth thickness	8 mm		
Electrical Data			
Drive motor output	5 kW	Supply voltage	400 V
Mains frequency	50 Hz		
Planing knife shaft			
Planing shaft type	TERSA	Planing shaft diameter	120 mm
Number of planing blades	4 St	Planing shaft speed	5000 min 1
Max. planing width	520 mm		

Accessories 🗸

	Slot mortising			
Har	Article number ∨ 5514500	Availability V No stock available Information: Next availability Unknown	Purchase ∨ Minimum 1 pc(s).	Price informations v
	Long hole drill 5-part, clockwi			
	Article number ✓ 5333682	Availability ✓ In stock Immediate delivery	Purchase 	Price informations V
	Reversible plar Tersa 520 x 10 Quality at reasonabl) x 2.3 mm Chro	me (4 pieces)	
	Article number ✓ 5270520	Availability ✓ In stock Immediate delivery	Purchase ✓ Minimum 1 Set (4 pc(s).)	Price informations V

Reversible planer knife Tersa 520 x 10 x 2.3 mm M+ HSS (4 pieces) Quality at reasonable prices			Holzberbeltungsmaschinen
Article number ∨ 5271520	Availability ❤ In stock Immediate delivery	Purchase ➤ Minimum 1 Set (4 pc(s).)	Price informations V
Replacement blade for spiral knife shaft 15 x 15 x 2.5 mm			
	•	nife shaft	Holzbearbeitungsmaschinen
	nm	nife shaft Purchase ✓ Minimum 1 PU (10 pc(s).)	Price informations 🗸

	Motor power 7.0 kW				
	Article number ∨ 5514155	Availability No stock available Information: Next availability Unknown	Purchase 	Price informations V	
	Spiral blade shaft SMW 520 elite s		Holzbearbeitungsmaschinen		
the second	Article number ✓ 5514126	Availability No stock available Information: Next availability	Purchase 	Price informations 🗸	

Prices on this data sheet are recommended retail prices, subject to change, in €, plus VAT at the statutory rate, plus packaging, shipping, transport, unloading, assembly and, if applicable, instruction costs. Sales prices of the dealers can deviate. No liability is accepted for printing errors, mistakes or incorrect presentation. Technical and optical changes are reserved. Illustration partly with optional accessories.