DATASHEET

Thicknessing plane

minimax s 52es

With 520 mm planing width incl. TERSA planer knife quick-change system



Article number >

5503526

Brand >

Holzkraft

Availability >

In stock Immediate delivery

Catalog directory >

Woodworking machinery » Planers » Thickness planers » Thickness planer minimax s es

Purchase >

Minimum 1 pc(s).



Delivery content ✓

- 4 feed speeds in the logger
- 4-knife Tersa cutterblock
- Motorized height adjustment of the thickness table with digital display
- Rubber outfeed roller

Shipping informations >

Packaging Metrics		Weights		Delivery		Other	
Length	n/a	Gross	455 kg	Delivery	Carrier	DualUse	×
Width	n/a	Net	455 kg	Content	1 pc(s).	SCIP	n/a
Height	n/a					SVHC	No

Root data 🗸

Country of origin	EAN	Custom number	Quantity unit
Italy	4036351221708	84659200	pc(s).



Description ~

- · 4-knife shaft for best planing results
- Quiet running with precision aggregate and thanks to the heavy cast design
- Front steel pickup roller with helical teeth for optimum feed
- Satin-finished steel extraction roller, optionally with rubber roller in the extension
- Thicknessing table height adjustment motorised with electronic decimal display great precision and high userfriendliness
- The worktable is mounted on four large pillars which ensure maximum stability under all working conditions
- Standard with two feed speeds, comfortably selectable from the front of the operator
- Powerful industrial engine
- Stable steel gray cast iron construction

Significant Features >



Very quiet

 Particularly lownoise TERSA planer cutterhead


Media informations >





Work table

- Mounted on four large-diameter spindles that ensure maximum stability under all working conditions
- By special lifting device, the table position is perfectly maintained even without locking



TERSA planer cutterhead

- Optimal planing pattern
- Planing knife change in secondsSelf-locking
- No more adjusting and screwing
- Particularly quiet running

Technical data 🗸

Dimensions and weights			
Length (product) approx.	1080 mm	Width/depth (product) approx.	1440 mm
Net weight approx.	455 kg		
Extraction port			
Extraction port diameter thickness	120 mm		
Footprint			
Space requirement length	1440 mm	Space requirement width/depth	1071 mm
Space requirement height	1088 mm	Space requirement explanation	The dimensions take into account maximum travel distances or useful lengths.
Machine body length	1030 mm	Machine body width/length	998 mm
Work area length	1000 mm	Work area width/depth	1800 mm
Explanation about work area	Please add the given dimensions with the required space to obtain the free space recommended for the machine.		
Thickness			
Thicknessing table length	520 mm	Thicknessing table width	850 mm
Working height min. thickness	3 mm	Working height max. thickness	240 mm
Working length min. thickness	220 mm	Max. cutting depth thickness	5 mm
Electrical Data			
Drive motor output	7 kW	Supply voltage	400 V
Mains frequency	50 Hz		
Planing knife shaft			

Planing shaft type	TERSA	Planing shaft diameter	120 mm
Number of planing blades	4 St	Planing shaft speed	5000 min ⁻¹
Max. planing width	520 mm		
Feed			
Feed speed	5 / 8 / 12 / 18 m/min		

Accessories >



Replacement blade for spiral knife shaft



/holzkraft

Zholzkraft

15 x 15 x 2.5 mm

Article number > Availability > 5514127

Purchase > In stock Minimum 1 PU (10 Immediate delivery pc(s).)

Price informations >

Options equipment >



Spiral blade shaft

SMW 520 elite s

Article number > Availability > 5514126


No stock available Information: Next availability

Purchase >

Price informations > Minimum 1 pc(s).



Two rollers in the thicknessing table without drive



Unknown

Article number > Availability > 5514152

No stock available Information: Next availability

Unknown

Purchase > Minimum 1 pc(s).

Purchase >

Minimum 1 pc(s).

Price informations >



Motor power 9.0 kW

Article number >

5514153

Availability > No stock available Information:

Next availability Unknown

Zholzkraft

Price informations >

Prices on this data sheet are recommended retail prices, subject to change, in €, plus VAT at the statutory rate, plus packaging, shipping, transport, unloading, assembly and, if applicable, instruction costs. Sales prices of the dealers can deviate. No liability is accepted for printing errors, mistakes or incorrect presentation. Technical and optical changes are reserved. Illustration partly with optional accessories.