

Belt sander

OPTIgrind GBS 75

In heavy and robust industrial design for rough, fine and form grinding of a wide variety of materials in continuous use

OPTIMUM[®]
MASCHINEN - GERMANY

Article number ▼

3321155

Brand ▼

Optimum

Availability ▼

In stock
Immediate delivery

Catalog directory ▼

Metalworking machines » Grinding and polishing machines for metal » Belt grinding machines » Belt grinders

Purchase ▼

Minimum 1 pc(s).




Delivery content ▼

- Sanding belt, grit 60
- Hexagon wrench

Shipping informations ▼

Packaging Metrics		Weights		Delivery		Other	
Length	780 mm	Gross	92 kg	Delivery	Carrier	DualUse	✘
Width	500 mm	Net	73 kg	Content	1 pc(s).	SCIP	n/a
Height	1,250 mm					SVHC	No

Root data ▼

Country of origin	EAN	Custom number	Quantity unit
 China	4030635043031	84601900	pc(s).




Description ▼

Arguments convincing in quality, performance and price

- Time-saving deburring of edges and polishing of weld seams
- Stable and vibration-free construction
- Powerful engine
- Grinding table can be tilted by 22° - 50°
- Continuously adjustable stop at the top enables quick and easy grinding of the workpieces
- Large surface grinding area
- Additional safety device
- Extraction nozzle at the front for connecting a suction device
- Spark protection
- Workpiece support enables grinding at the right angle
- One sanding belt in the standard scope of delivery

Media informations ▼






Surface grinding area

- continuous and open at the back
- Also ideally suited for machining longer workpieces


Technical data ▾

Dimensions and weights			
Length (product) approx.	430 mm	Width/depth (product) approx.	1000 mm
Height (product) approx.	937 mm	Net weight approx.	72 kg
Max. height (product)	1090 mm		
Electrical Data			
Drive motor output	1,5 / 2,2 kW	Supply voltage	400 V
Mains frequency	50 Hz	Motor speed(s)	1450 / 2850 min ⁻¹
Sanding machine			
Max. grinding length	98 mm	Max. sanding width	60 mm
Sanding belt length	2000 mm	Sanding belt width	75 mm

Accessories ▾



Abrasive belts with cloth backing non-ferrous metals, stainless steel, mild steel
2000 x 75 mm K40



Article number ▾
3357642

Availability ▾
In stock
Immediate delivery

Purchase ▾
Minimum 1 PU (5 pc(s).)

Price informations ▾



Abrasive belts with cloth backing non-ferrous metals, stainless steel, mild steel

2000 x 75 mm K60

Article number ▼
3357644

Availability ▼
In stock
Immediate delivery

Purchase ▼
Minimum 1 PU (5 pc(s).)

Price informations ▼

OPTIMUM[®]
MASCHINEN - GERMANY



Abrasive belts with cloth backing non-ferrous metals, stainless steel, mild steel

2000 x 75 mm K80

Article number ▼
3357646

Availability ▼
In stock
Immediate delivery

Purchase ▼
Minimum 1 PU (5 pc(s).)

Price informations ▼

OPTIMUM[®]
MASCHINEN - GERMANY



Abrasive belts with cloth backing non-ferrous metals, stainless steel, mild steel

2000 x 75 mm K120

Article number ▼
3357648

Availability ▼
In stock
Immediate delivery

Purchase ▼
Minimum 1 PU (5 pc(s).)

Price informations ▼

OPTIMUM[®]
MASCHINEN - GERMANY



Abrasive belts with cloth backing non-ferrous metals, stainless steel, mild steel

2000 x 75 mm K180

Article number ▼
3357649

Availability ▼
In stock
Immediate delivery

Purchase ▼
Minimum 1 PU (5 pc(s).)

Price informations ▼

OPTIMUM[®]
MASCHINEN - GERMANY



Abrasive belts with cloth backing non-ferrous metals, stainless steel, mild steel

2000 x 75 mm P240

Article number ▼
3357650

Availability ▼
In stock
Immediate delivery

Purchase ▼
Minimum 1 PU (5 pc(s).)

Price informations ▼

OPTIMUM[®]
MASCHINEN - GERMANY



Machine substructure with extraction
GU 2

Twin-engined cyclone vacuum for belt grinding machines or other external machines

Article number ▼
3107115

Availability ▼
In stock
Immediate delivery

Purchase ▼
Minimum 1 pc(s).

Price informations ▼

OPTIMUM[®]
MASCHINEN - GERMANY



Suction pipes flexible (2 pcs.)

For GU 2

OPTIMUM[®]
MASCHINEN - GERMANY

Article number ▼

3107116

Availability ▼

In stock
Immediate delivery

Purchase ▼

Minimum 1 PU

Price informations ▼

Prices on this data sheet are recommended retail prices, subject to change, in €, plus VAT at the statutory rate, plus packaging, shipping, transport, unloading, assembly and, if applicable, instruction costs. Sales prices of the dealers can deviate. No liability is accepted for printing errors, mistakes or incorrect presentation. Technical and optical changes are reserved. Illustration partly with optional accessories.