

Belt sander

MBSM 75-240-2

For sanding surfaces, edges and rounding off



Article number ▼

3923273

Brand ▼

Metalkraft

Availability ▼

No stock available

Information:

Next availability

Expected on calendar week 08/2024

Catalog directory ▼

Metalworking machines » Grinding and polishing machines for metal » Belt grinding machines » Belt grinders

Purchase ▼

Minimum 1 pc(s).




Delivery content ▼

- Machine base
- 1 Sanding belt K80
- 1 Socket wrench

Shipping informations ▼

Packaging Metrics		Weights		Delivery		Other	
Length	1,150 mm	Gross	105 kg	Delivery	Carrier	DualUse	✘
Width	510 mm	Net	82 kg	Content	1 pc(s).	SCIP	n/a
Height	550 mm					SVHC	No


Root data ▼

Country of origin	EAN	Custom number	Quantity unit
 China	4036351286950	84602990	pc(s).

Description ▼

- Powerful motors and vibration-free running for the best grinding results
- Grinding belt changes in seconds due to the quick-release system
- Large surface grinding area thanks to the foldaway upper grinding belt cover
- Continuous surface grinding area after removal of attachments allows grinding even long workpieces
- Can be used with and without suction
- One suction nozzle on the spark box and one on the rear belt reel
- Easy adjustment of the belt run adjusting screw
- Automatic re-tensioning of the sanding belt by spring-supported belt tensioning system
- Infinitely tiltable sanding unit
- Protective disc can be folded away
- Models MBSM 75-240-2 and 150-240-2 with two belt speeds for grinding steel and stainless steel

Media informations ▼



Simple belt run adjustment

Technical data ▼

Dimensions and weights

Length (product) approx.	1000 mm	Width/depth (product) approx.	500 mm
Height (product) approx.	1150 mm	Net weight approx.	82 kg
Electrical Data			
Drive motor output	3/4 kW	Supply voltage	400 V
Mains frequency	50 Hz	Protection class	IP43
Noise emission			
Emissions sound pressure level at workstation Lp (idling without extraction unit)	87 dB(A)		
Sanding machine			
Max. sanding width	75 mm	Sanding belt length	2000 mm
Sanding belt width	75 mm	Graphite support length	495 mm
Graphite support width	75 mm	Graphite support thickness	2 mm
Circumferential belt speed(s)	18/36 m/s	Drive wheel diameter	240 mm
Contact wheel diameter	200 mm		
Extraction			
Extraction duct nominal width outside	2 x 100 mm		

Accessories ▼



Contact wheel Ø 200 x 75 mm

Article number ▼
3924022

Availability ▼
In stock
Immediate delivery

Purchase ▼
Minimum 1 pc(s).

Price informations ▼



Abrasive belts with cloth backing for stainless steel, unalloyed steel 2000 x 75 mm P40

Article number ▼
3722004

Availability ▼
In stock
Immediate delivery

Purchase ▼
Minimum 1 PU (10 pc(s).)

Price informations ▼



Abrasive belts with cloth backing for stainless steel, unalloyed steel 2000 x 75 mm P60

Article number ▼
3722006

Availability ▼
In stock
Immediate delivery

Purchase ▼
Minimum 1 PU (10 pc(s).)

Price informations ▼



Abrasive belts with cloth backing for stainless steel, unalloyed steel 2000 x 75 mm P80

Article number ▼
3722008

Availability ▼
In stock
Immediate delivery

Purchase ▼
Minimum 1 PU (10 pc(s).)

Price informations ▼





Abrasive belts with cloth backing for stainless steel, unalloyed steel

2000 x 75 mm P120



Article number 3722009

Availability In stock
Immediate delivery

Purchase Minimum 1 PU (10 pc(s).)

Price informations



Fabric abrasive belt set for stainless steel, steel, metal universal

2000 x 75 mm



Article number 3722000

Availability In stock
Immediate delivery

Purchase Minimum 1 pc(s).

Price informations



Fabric grinding belt for cast aluminum, stainless steel, steel

2000 x 75 K24

for extreme point load



Article number 3722022

Availability In stock
Immediate delivery

Purchase Minimum 1 PU (10 pc(s).)

Price informations



Fabric grinding belt for cast aluminum, stainless steel, steel

2000 x 75 K36

for extreme point load



Article number 3722023

Availability In stock
Immediate delivery

Purchase Minimum 1 PU (10 pc(s).)

Price informations



Fabric grinding belt for cast aluminum, stainless steel, steel

2000 x 75 K40

for extreme point load



Article number 3722024

Availability No stock available
Information:
Next availability
Expected on
calendar week
06/2024

Purchase Minimum 1 PU (10 pc(s).)

Price informations



Fabric grinding belt for cast aluminum, stainless steel, steel

2000 x 75 K60

for extreme point load

Article number ▼
3722026

Availability ▼
No stock available
Information:
Next availability
Expected on
calendar week
06/2024

Purchase ▼
Minimum 1 PU (10
pc(s).)

Price informations ▼



Fabric sanding belt set for cast aluminum, stainless steel

2000 x 75 mm

Article number ▼
3722001

Availability ▼
In stock
Immediate delivery

Purchase ▼
Minimum 1 pc(s).

Price informations ▼



Graphite overlay 495 x 75 mm

Article number ▼
3924027

Availability ▼
In stock
Immediate delivery

Purchase ▼
Minimum 1 pc(s).

Price informations ▼



Prices on this data sheet are recommended retail prices, subject to change, in €, plus VAT at the statutory rate, plus packaging, shipping, transport, unloading, assembly and, if applicable, instruction costs. Sales prices of the dealers can deviate. No liability is accepted for printing errors, mistakes or incorrect presentation. Technical and optical changes are reserved. Illustration partly with optional accessories.