

DATASHEET

Universal multiple combination

UMK 5-260 230V

Compact multiple combination for planing/thickness planing, sawing, routing and optionally with slot drilling device

Article number v

5946025

Brand ~

Holzstar

Availability 🗸

No stock available Information: Next availability Expected on calendar week 21/2024

Catalog directory v

Woodworking machinery » Multiple combinations » Holzstar UMK 5

Purchase 🗸

Minimum 1 pc(s).

Delivery content v

- Eccentric clamp
- Angle fence with aluminum profile and hold-down device
- 1x saw blade 254x30x3 mm Z36
- 3x planer blade 250x30x3 mm

Shipping informations ~

Packaging Me	etrics	Weights		Delivery		Other	
Length	2,200 mm	Gross	420 kg	Delivery	Carrier	DualUse	×
Width	1,330 mm	Net	362 kg	Content	1 pc(s).	SCIP	n/a
Height	1,300 mm					SVHC	No

Root data 🗸

Country of origin	EAN	Custom number	Quantity unit
*` China	4036351345176	84651010	pc(s).

Description v

- Robust cast iron machine table enables precise work
- Function selection via rotary switch
- Practical traveling device available as an accessory

Surface planer/thickness planer



- Thicknessing planer table adjustment via handwheel
- Rubberized pull-out roller protects the surface of the workpiece during thickness planing
- Dressing and thicknessing table made of gray cast iron with ground surface
- Strip cutterblock with three HSS knives
- Aluminum planer fence can be tilted by 45

Circular sizing saw

- Circular saw blade can be tilted up to 45
- Table extension arm with aluminum cross-cut fence for panels and large workpieces
- Including cast aluminum workpiece clamp and adjustable micro fence
- Aluminum sliding carriage with 1300 mm length
- Aluminum rip fence with fine adjustment


Table milling machine

- Rigid milling spindle
- Spindle height adjustable by 110 mm

Slot drilling device

- Available as accessories
- Wescott drill chuck 3 16 mm

Media informations v



Picture shows travelling device #5916428 available as an accessory







Technical data 🗸


Dimensions and weights			
Length (product) approx.	2200 mm	Width/depth (product) approx.	1330 mm
Height (product) approx.	1300 mm	Net weight approx.	362 kg
Jointing			
Infeed table width	260 mm	Infeed table length	1120 mm
Max. cutting depth of joints	4 mm		
Extraction port			
Suction port diameter cutter	100 mm	Saw blade protection extraction port diameter	30 mm
Extraction port diameter thickness	100 mm		
Thickness			
Thicknessing table length	545 mm	Thicknessing table width	258 mm
Working height min. thickness	5 mm	Working height max. thickness	225 mm
Max. cutting depth thickness	4 mm		
Electrical Data			

Supply voltage	230 V	Mains frequency	50 Hz
Input power saw	2.2 kW	Input power planer	2.2 kW
Input power moulder	1.5 kW		
Sliding carriage and table			
Sliding table length	1300 mm	Sliding table width	238 mm
Table length	920 mm	Table width	410 mm
Table height	850 mm		
Milling spindle			
Mandrel diameter	30 mm	Usable spindle length	105 mm
Spindle height adjustment	110 mm	Spindle speed(s)	1400/4000/6000/9000 min - 1
Milling cutter diameter max.			
Max. tool diameter	160 mm		
Noise emission			
Sound pressure level idle	80 dB(A)	Sound pressure level load	92 dB(A)
Planing knife shaft			
Planing shaft diameter	70 mm	Number of planing blades	3 St
Planing shaft speed	5500 min - 1		
Circular saw unit			
Trimming length	1300 mm	Saw blade angle	90 – 45 °
Max. cutting height at 90°	78 mm	Max. cutting height at 45°	63 mm
Diameter of (main) saw blade	254 mm	(Main) saw blade speed	4000 min 1
Feed			
Feed speed	7 m/min	Feed shaft diameter	32 mm

Accessories 🗸

M.L	Slot mortising for UMK 5-260	Holzstar			
	Article number ✓ 5916427	Availability No stock available Information: Next availability Expected on calendar week 21/2024	Purchase ✓ Minimum 1 pc(s).	Price informations v	
	Travelling dev ifor UMK 5-260				
11 4000	Article number ✓ 5916428	Availability ✓ No stock available	Purchase 	Price informations \checkmark	





Prices on this data sheet are recommended retail prices, subject to change, in €, plus VAT at the statutory rate, plus packaging, shipping, transport, unloading, assembly and, if applicable, instruction costs. Sales prices of the dealers can deviate. No liability is accepted for printing errors, mistakes or incorrect presentation. Technical and optical changes are reserved. Illustration partly with optional accessories.