

Nailer NG 90 PRO



Article number ▼

2405905

Brand ▼

Aircraft

Availability ▼

Small stock amount
Article available

Catalog directory ▼

Compressed air technology » Pneumatic
Tools » Staplers and nailers

Purchase ▼


Minimum 2 pc(s).



Shipping informations ▼

Packaging Metrics		Weights		Delivery		Other	
Length	600 mm	Gross	8 kg	Delivery	Delivery service	DualUse	✘
Width	185 mm	Net	4.5 kg	Content	2 pc(s).	SCIP	n/a
Height	510 mm					SVHC	No

Root data ▼

Country of origin	EAN	Custom number	Quantity unit
 China	9006248005563	84671900	pc(s).

Description ▼

- With adjustable exhaust air outlet
- For making crates, disposable pallets, crates, frames, partitions, racks, formwork and fixing gypsum fiber boards
- With rubberized handle, cold-insulating, non-slip and vibration-reducing
- With under loader magazine and contact security

Special features:

- For strip-bonded nails 55-90 mm with an angle of 34 degrees and a diameter of 2.87 mm, 3.05 mm and 3.33 mm


Media informations ▼



Technical data ▼

General features			
Air requirement average, approx.	4,8 l/Schuss	Working pressure	6 bar
Min. nail size	55 mm	Max. nail size	90 mm
Nail type	strip-bound nails angle 34 ° / Ø = 2.87 o. 3.05 or 3.33 mm	Connecting thread	¼ "
Dimensions and weights			
Net weight approx.	4,5 kg		

Accessories ▼



Nails type RN
2,87 x 60 mm




Article number ▼
2405960

Availability ▼
In stock
Immediate delivery

Purchase ▼
Minimum 1 pack
(3000 pc(s).)

Price informations ▼



Nails type RN
3.33 x 90 mm



Article number ▼
2405990

Availability ▼
In stock
Immediate delivery

Purchase ▼
Minimum 1 pack
(3000 pc(s).)

Price informations ▼

Prices on this data sheet are recommended retail prices, subject to change, in €, plus VAT at the statutory rate, plus packaging, shipping, transport, unloading, assembly and, if applicable, instruction costs. Sales prices of the dealers can

deviate. No liability is accepted for printing errors, mistakes or incorrect presentation. Technical and optical changes are reserved. Illustration partly with optional accessories.