

Surface planer

CASADEI PF 520 M TERSA TX MATIC

with 520 mm planing width and TERSA planer knife quick-change system

Article number v 5221524

Brand ✓ Holzkraft CASADEI

Availability v

No stock available Information: Next availability Unknown

Catalog directory v

Woodworking machinery » Planers » Surface planers » Surface planer CASADEI PF 520 M

Purchase 🗸

Minimum 1 pc(s).

Shipping informations v

Packaging Metrics		Weights		Delivery		Other	
Length	n/a	Gross	870 kg	Delivery	Carrier	DualUse	×
Width	n/a	Net	870 kg	Content	1 pc(s).	SCIP	n/a
Height	n/a					SVHC	No

Root data 🗸

Country of origin	EAN	Custom number	Quantity unit
Italy	4036351041382	84659200	pc(s).



MADE IN ITALY

Description ~



- Control panel over table
- Dressing tables made of gray cast iron
- The dressing table adjustment takes place via a precise parallelogram system, so that the distance between the table tips and the knife shaft remains the same in every adjustment position
- Large precision aluminium dressing fence, slightly tiltable 90 45 °
- The inclination of the stop is easily readable from the operator side
- As standard with auxiliary stop for safe planing of even narrow workpieces
- Large four-knife shaft, precision-mounted
- Quiet running with precision aggregate and heavy cast iron execution
- Powerful industrial motor with direct start

Additional equipment PF 520 M:

- extra long inlet table
- · motorized adjustment of the dressing table
- Digital display for chip removal

Room amenities

- Control panel over table
- PF 520 M with motorized height adjustment of the infeed table and digital display of the chip removal
- The dressing tables made of a highly ribbed cast construction remain permanently flat and precise
- · The planing tables are adjusted by a precise parallelogram system
- Thus, the distance of the table tips to the blade shaft remains the same in each adjustment position

Tersa planer knife

- No adjustment and more screws
- Planer blade change in seconds
- self-locking
- Especially low noise
- Perfect planing result

option Functionality "TX MATIC"

- Optional lifting device of the protection
- · The bias pushes the protection against the workpiece
- As a result, the blade shaft is always covered, which provides greater security

Media informations ~



Technical data 🗸

Dimensions and weights			
Length (product) approx.	3005 mm	Width/depth (product) approx.	1457 mm
Net weight approx.	870 kg		
Jointing			
Total length of table	3000 mm	Task table length	1775 mm
Working height	844 mm	Max. cutting depth of joints	8 mm
Planing stop length	1100 mm	Planing stop height	160 mm
Planing stop pivoting range	90 – 45 °		
Extraction port			
Extraction port diameter thickness	120 mm		
Footprint			
Space requirement length	3005 mm	Space requirement width/depth	1457 mm
Space requirement explanation	The dimensions take into account maximum travel distances or useful lengths.	Machine body length	1230 mm
Machine body width/length	668 mm	Work area length	1000 mm
Work area width/depth	3500 mm	Explanation about work area	Please add the given dimensions with the required space to obtain the free space recommended for the machine.
Thickness			
Max. cutting depth thickness	8 mm		
Electrical Data			
Drive motor output	7 kW	Supply voltage	400 V
Mains frequency	50 Hz		
Planing knife shaft			
Planing shaft type	TERSA	Planing shaft diameter	120 mm
Number of planing blades	4 St	Planing shaft speed	5000 min ⁻⁷
Max. planing width	520 mm		

Accessories 🗸

Reversible planer knife Tersa 520 x 10 x 2.3 mm Chrome (4 pieces) Quality at reasonable prices			Holzbearbeitungsmaschinen	
Article number ✓ 5270520	Availability ✔ In stock Immediate delivery	Purchase ➤ Minimum 1 Set (4 pc(s).)	Price informations v	
Reversible planer knife Tersa 520 x 10 x 2.3 mm M+ HSS (4 pieces) Quality at reasonable prices				
Quality at reasonab	le prices			

Options equipment v

Motor power 7.0 kW Article number ∽ 5256044	Availability ✓ No stock available Information: Next availability Unknown	Purchase ↓ Minimum 1 pc(s).	Contractions ← Ask for price
	rotection device height adjustme Availability ↓ No stock available Information: Next availability Unknown		Contraction Contr
Slot mortising of Article number > 5256076		Purchase ∨ Minimum 1 pc(s).	Contractions ← Ask for price

Prices on this data sheet are recommended retail prices, subject to change, in €, plus VAT at the statutory rate, plus packaging, shipping, transport, unloading, assembly and, if applicable, instruction costs. Sales prices of the dealers can deviate. No liability is accepted for printing errors, mistakes or incorrect presentation. Technical and optical changes are reserved. Illustration partly with optional accessories.