

## Tilting circular saw HWS 505 K (400 V)

Robust design with direct drive



### Article number ▾

5965506

### Brand ▾

Holzkraft

### Availability ▾

In stock  
Immediate delivery

### Catalog directory ▾

Woodworking machinery » Firewood technology » Firewood circular saws » Rocker saw

### Purchase ▾

Minimum 1 pc(s).




### Delivery content ▾

- Carbide saw blade Ø 505 mm Z40
- 

### Shipping informations ▾

Packaging Metrics		Weights		Delivery		Other	
Length	940 mm	Gross	80.5 kg	Delivery	Carrier	DualUse	✘
Width	765 mm	Net	75 kg	Content	1 pc(s).	SCIP	n/a
Height	620 mm					SVHC	No

### Root data ▾

Country of origin	EAN	Custom number	Quantity unit
 Germany	4036351258995	84659120	pc(s).

### Description ▾

- Closed and safe sawing area for greater safety thanks to the legally required saw-protection device
- Fast and ergonomic handling with patented protective flap
- Anti-rotation of the wood by stamped barbs in the rocker
- Stable, torsion-resistant steel frame
- Robust and strong circular saw motor
- Energy-saving work thanks to ideal rocker pivot
- Driving device for easy transport
- Shock, scratch and weather resistant due to high quality powder coating
- Phase inverter for all 400 V models

## Media informations ▼



## Technical data ▼

Dimensions and weights			
Length (product) approx.	860 mm	Width/depth (product) approx.	775 mm
Height (product) approx.	990 mm	Net weight approx.	75 kg
Rocker support	735 mm		
Drive			
Drive type	Electric motor with direct drive		
Electrical Data			
Supply voltage	400 V	Mains frequency	50 Hz
Delivery power	2,4 kW	Absorbed power	3 kW
Noise emission			
Sound pressure level Lp	95 dB(A)	Sound pressure level Lp in idling	89 dB(A)
Noise power level Lw	104 dB(A)	Noise power level Lw in idling	98 dB(A)
Saw blade			
Sawblade circumferential speed	74 m/s	Saw blade diameter	500 / 505 mm
Cutting performance			
Max. cutting performance rocker	170 mm	Max. rocker cutting performance in firewood	240 x 190 mm

Prices on this data sheet are recommended retail prices, subject to change, in €, plus VAT at the statutory rate, plus packaging, shipping, transport, unloading, assembly and, if applicable, instruction costs. Sales prices of the dealers can

deviate. No liability is accepted for printing errors, mistakes or incorrect presentation. Technical and optical changes are reserved. Illustration partly with optional accessories.