

Vertical panel saw VPS 2241 VR

Precise panel saw



Article number ▼

5600241

Brand ▼

Holzkraft

Availability ▼

No stock available


Information:

Next availability

Expected on calendar week 19/2024

Catalog directory ▼

Woodworking machinery » Special wood saws » Vertical panel saws » Vertical panel saw VPS



Purchase ▼

Minimum 1 pc(s).


Delivery content ▼

- Saw blade Ø 250 x 30 x 3,2 mm Z80 trapezoid
- Scoring blade Ø 80 x 2,8-3,6 mm Z20

Shipping informations ▼

Packaging Metrics		Weights		Delivery		Other	
Length	5,500 mm	Gross	600 kg	Delivery	Carrier	DualUse	✘
Width	1,600 mm	Net	525 kg	Content	1 pc(s).	SCIP	n/a
Height	2,900 mm					SVHC	No



Root data ▼

Country of origin	EAN	Custom number	Quantity unit
 Turkey	4036351279334	84659120	pc(s).

Description ▼

- Smooth and ergonomic operation
- Scoring device for tear-free cut quality
- The dodging of the slatted base is manually actuated via a lever
- Consistent medium workpiece support
- Two measures
- Pedal-mounted transport rollers for easy moving of heavy plates without damaging them
- Fixed material support for stable workpiece position
- Modular welded machine frame twist-free and self-supporting
- Saw unit with chain guide and two control levers
- Large opening for saw blade change

Media informations



Horizontal cut



Vertical cut



Ruler for length adjustment for vertical cutting



Practical foot lever for lifting and easier positioning of large plates on the saw



To prevent the saw blade from sawing into a back wall strip, slatted slats can be manually moved



Easy and fast cutting even small parts



Quick fold-out medium workpiece support enables ergonomic work at optimum height



Large opening for saw blade change


Technical data ▼

General features			
Max. cutting height	2200 mm	Max. cutting length	4100 mm
Cutting depth	60 mm	Saw blade diameter	250 mm
Saw blade speed	4800 min ⁻¹	Scoring blade diameter	80 mm
Scoring blade speed	8500 min ⁻¹	Number of stops	2 St
Sound pressure level	89.2 dB(A)		
Dimensions and weights			
Height (product) max.	3100 mm	Length (product) approx.	5300 mm
Width/depth (product) approx.	1800 mm	Height (product) approx.	3000 mm
Net weight approx.	600 kg		
Extraction port			
Extraction duct diameter	1 x 100 mm	Min. extraction flow rate	1000 m ³ /h
Min. extraction speed	20 m/s		
Electrical Data			
Drive motor output	3 kW	Supply voltage	400 V
Mains frequency	50 Hz		

Equipment ▼

Lower material support	Wood	Evasive slatted frame	manual
Vertical measuring device	Ruler	Horizontal measuring device	Ruler
Panel positioning	Mechanical lifting		

Accessories ▼



Scoring saw blade

Ø 80 x 2,8-3,6 mm Z20



Article number ▼
5260201

Availability ▼
In stock
Immediate delivery

Purchase ▼
Minimum 1 pc(s).

Price informations ▼



Saw blade

250 x 3.2/2.2 x 30 mm 80 TFZ L HP



Article number ▼
5260202

Availability ▼
In stock
Immediate delivery

Purchase ▼
Minimum 1 pc(s).

Price informations ▼

Prices on this data sheet are recommended retail prices, subject to change, in €, plus VAT at the statutory rate, plus packaging, shipping, transport, unloading, assembly and, if applicable, instruction costs. Sales prices of the dealers can deviate. No liability is accepted for printing errors, mistakes or incorrect presentation. Technical and optical changes are reserved. Illustration partly with optional accessories.