

Vertical panel saw VPS 2241 VR ED

Fully equipped and precise panel saw



Article number ▼

5600242

Brand ▼

Holzkraft

Availability ▼

No stock available

Information:

Next availability

Expected on calendar week 19/2024

Catalog directory ▼

Woodworking machinery » Special wood saws » Vertical panel saws » Vertical panel saw VPS



Purchase ▼

Minimum 1 pc(s).


Delivery content ▼

- Saw blade Ø 250 x 30 x 3,2 mm Z80 trapezoid
- Scoring blade Ø 80 x 2,8-3,6 mm Z20

Shipping informations ▼

Packaging Metrics		Weights		Delivery		Other	
Length	5,500 mm	Gross	700 kg	Delivery	Carrier	DualUse	✘
Width	1,600 mm	Net	625 kg	Content	1 pc(s).	SCIP	n/a
Height	2,900 mm					SVHC	No



Root data ▼

Country of origin	EAN	Custom number	Quantity unit
 Turkey	4036351279341	84659120	pc(s).

Description ▼

- Smooth and ergonomic operation
- Prescribing device for tear-free cut quality
- Slatted slat slat softens automatically dodges
- Consistent medium workpiece support
- Two measures
- Plates stand on movable castors and can be moved without lifting
- Modular welded machine frame twist-free and self-supporting
- Saw unit with chain guide and two control levers
- Large opening for saw blade change

Media informations ▼



Horizontal cut




Vertical cut



Digital dimension display for length adjustment for vertical cutting



Plates stand on movable castors and can be moved without lifting



Automatically evasive slatted frame to prevent the saw blade from sinking into a back wall strip



Easy and fast cutting of even small parts. Lower plate support with measurement indication



Quick fold-out medium workpiece support enables ergonomic work at optimum height



Large opening for saw blade change


Technical data ▼

General features			
Max. cutting height	2200 mm	Max. cutting length	4100 mm
Cutting depth	60 mm	Saw blade diameter	250 mm
Saw blade speed	4800 min ⁻¹	Scoring blade diameter	80 mm
Scoring blade speed	8500 min ⁻¹	Number of stops	2 St
Sound pressure level	89.2 dB(A)		
Dimensions and weights			
Height (product) max.	3100 mm	Length (product) approx.	5300 mm
Width/depth (product) approx.	1800 mm	Height (product) approx.	3000 mm
Net weight approx.	600 kg		
Extraction port			
Extraction duct diameter	1 x 100 mm	Min. extraction flow rate	1000 m ³ /h
Min. extraction speed	20 m/s		
Electrical Data			
Drive motor output	3 kW	Supply voltage	400 V
Mains frequency	50 Hz		

Equipment ▼

Lower material support	Metal rollers	Evasive slatted frame	automatic
Vertical measuring device	digital	Horizontal measuring device	digital
Panel positioning	Without lifting on movable rollers		

Accessories ▼



Scoring saw blade

Ø 80 x 2,8-3,6 mm Z20




Article number ▼
5260201

Availability ▼
In stock
Immediate delivery

Purchase ▼
Minimum 1 pc(s).

Price informations ▼



Saw blade

250 x 3.2/2.2 x 30 mm 80 TFZ L HP



Article number ▼
5260202

Availability ▼
In stock
Immediate delivery

Purchase ▼
Minimum 1 pc(s).

Price informations ▼

Prices on this data sheet are recommended retail prices, subject to change, in €, plus VAT at the statutory rate, plus packaging, shipping, transport, unloading, assembly and, if applicable, instruction costs. Sales prices of the dealers can deviate. No liability is accepted for printing errors, mistakes or incorrect presentation. Technical and optical changes are reserved. Illustration partly with optional accessories.