

Slotting machine

NZM 20

For the production of grooves up to 30x20 mm in metal or non-metal workpieces

Article number ▼

3818420

Brand ▼

Metallkraft

Availability ▼

In stock
Immediate delivery

Catalog directory ▼

Metalworking machines » Notching, punching and grooving machines » Keyseating machines

Purchase ▼

Minimum 1 pc(s).




Delivery content ▼

- Two clamping prisms

Shipping informations ▼

Packaging Metrics		Weights		Delivery		Other	
Length	1,200 mm	Gross	350 kg	Delivery	Carrier	DualUse	✘
Width	800 mm	Net	330 kg	Content	1 pc(s).	SCIP	n/a
Height	1,200 mm					SVHC	No


Root data ▼

Country of origin	EAN	Custom number	Quantity unit
 Czech Republic	4036351337843	84613090	pc(s).

Description ▼

- Grooves are drawn in vertical direction. This has advantages over grooving: Higher accuracy, better surface finish and higher cutting speed
- Quicker and easier tool change
- No running of the drawing knife during cutting due to three-sided ball bearing guide on the upper side of the knife
- Perpendicular angle of the drawing knife to the workpiece can be finely readjusted via rotary wheel
- Table feed is manual via large hand lever
- Extremely robust and low-maintenance construction
- Convenient workpiece change due to backward tiltable tool arm
- Dividing plate with different angular pitches (available as accessory) enables precise and fast clamping and reclamping of the workpieces

Media informations ▼






Technical data ▼

General features			
Workpiece height min.	Tooth spacing of the drawing knife + 2 mm	Workpiece height max.	90 / 170 mm
Explanation Workpiece height max.	Drawing knife with width 5-8mm / 10-20mm	Number of strokes per minute	54
Work table length	400 mm	Work table width	680 mm
Working height	880 mm	Slot depth max.	30 mm
Slot width max.	20 mm		
Dimensions and weights			
Length (product) approx.	520 mm	Width/depth (product) approx.	1030 mm
Height (product) approx.	1200 mm	Net weight approx.	330 kg
Electrical Data			
Drive motor output	1,5 kW	Supply voltage	400 V
Mains frequency	50 Hz		

Accessories ▼



Indexing device NZM 20



Article number ▼
3889201

Availability ▼
No stock available
Information:
Next availability
Unknown

Purchase ▼
Minimum 1 pc(s).

Price informations ▼



Broach
Width 5 mm / Teeth distance 7 mm



Article number ▼
3889205

Availability ▼
No stock available
Information:
Next availability
Unknown

Purchase ▼
Minimum 1 pc(s).

Price informations ▼



Broach
Width 6 mm / Teeth distance 10 mm



Article number ▼
3889206

Availability ▼
No stock available
Information:
Next availability
Unknown

Purchase ▼
Minimum 1 pc(s).

Price informations ▼



Broach
Width 8 mm / Teeth distance 14 mm



Article number ▼
3889208

Availability ▼
No stock available
Information:
Next availability
Unknown

Purchase ▼
Minimum 1 pc(s).

Price informations ▼



Broach
Width 10 mm / Teeth distance 18 mm



Article number ▼
3889210

Availability ▼
No stock available
Information:
Next availability
Unknown

Purchase ▼
Minimum 1 pc(s).

Price informations ▼



Broach
Width 12 mm / Teeth distance 18 mm



Article number ▼
3889212

Availability ▼
No stock available
Information:
Next availability
Unknown

Purchase ▼
Minimum 1 pc(s).

Price informations ▼



Broach
Width 14 mm / Teeth distance 22 mm



Article number ▼
3889214

Availability ▼
No stock available
Information:
Next availability
Unknown

Purchase ▼
Minimum 1 pc(s).

Price informations ▼



Broach

Width 16 mm / Teeth distance 22 mm

Article number ▼

3889216

Availability ▼

No stock available
Information:
Next availability
Unknown

Purchase ▼

Minimum 1 pc(s).

Price informations ▼



Metalbearbeitungsmaschinen



Broach

Width 16 mm / Teeth distance 25 mm

Article number ▼

3889218

Availability ▼

No stock available
Information:
Next availability
Unknown

Purchase ▼

Minimum 1 pc(s).

Price informations ▼



Metalbearbeitungsmaschinen



Broach

Width 20 mm / Teeth distance 25 mm

Article number ▼

3889220

Availability ▼

No stock available
Information:
Next availability
Unknown

Purchase ▼

Minimum 1 pc(s).

Price informations ▼



Metalbearbeitungsmaschinen

Prices on this data sheet are recommended retail prices, subject to change, in €, plus VAT at the statutory rate, plus packaging, shipping, transport, unloading, assembly and, if applicable, instruction costs. Sales prices of the dealers can deviate. No liability is accepted for printing errors, mistakes or incorrect presentation. Technical and optical changes are reserved. Illustration partly with optional accessories.