

Log band saw HBBS 660

Precise saw cuts when ripping round timber



Article number ▼
5670663

Brand ▼
Holzkraft

Availability ▼
In stock
Immediate delivery

Catalog directory ▼
Woodworking machinery » Bandsaws »
HBBS


Purchase ▼
Minimum 1 pc(s).



Shipping informations ▼

Packaging Metrics		Weights		Delivery		Other	
Length	2,100 mm	Gross	372 kg	Delivery	Carrier	DualUse	✘
Width	645 mm	Net	330 kg	Content	1 pc(s).	SCIP	n/a
Height	880 mm					SVHC	No

Root data ▼

Country of origin	EAN	Custom number	Quantity unit
 China	4036351345718	84659110	pc(s).


Description ▼

- Solid cast wheels driven by a 5.5 kW electric motor
- Manual adjustment of the cutting height via hand crank
- Robust and torsion-resistant steel construction
- Simple operation with the aid of a manual saw feed
- Safety switch integrated in the handle for safe operation
- Stable clamping of the log thanks to adjustable tips
- >Precise cuts thanks to adjustable saw blade guide
- Low friction between saw blade and wood thanks to integrated blade lubrication
- The side-mounted chip removal ensures a clean working area
- Any cutting length thanks to bed extensions available as accessories
- Suitable for softwood and hardwood

Media informations ▼



- Adjustable saw blade guide for precise saw cuts



- Locking lever on both sides for locking the cutting height

Technical data ▼









Dimensions and weights			
Length (product) approx.	4000 mm	Width/depth (product) approx.	2150 mm
Height (product) approx.	2000 mm	Net weight approx.	330 kg
Electrical Data			
Supply voltage	400 V	Mains frequency	50 Hz
Input power	5.5 kW		

Noise emission			
Sound power level	94,6 dB(A)		
Cutting ranges			
Max. trunk diameter	660 mm	Max. cutting width	530 mm
Cutting length max.	3200 mm	Passage over saw band	190 mm
Saw band			
Saw band speed(s)	18 m/s	Flywheel diameter	475 mm
Saw band length	3650 mm	Saw band width	34 mm
Saw band thickness	1 mm		

Equipment ▼

Drive type	electric	Material frame construction	Steel
Feed rate	manually		

Accessories ▼

	Bed extension 2.0 m for HBBS 660		
Article number ▼	Availability ▼	Purchase ▼	Price informations ▼
5671660	In stock Immediate delivery	Minimum 1 pc(s).	
	Loading ramp for HBBS 400/660/810		
Article number ▼	Availability ▼	Purchase ▼	Price informations ▼
5671005	In stock Immediate delivery	Minimum 1 pc(s).	
	Turning hook WH 1 for HBBS 400/660/810		
Article number ▼	Availability ▼	Purchase ▼	Price informations ▼
5671000	In stock Immediate delivery	Minimum 1 pc(s).	
	Cable winch for HBBS 660/810		
Article number ▼	Availability ▼	Purchase ▼	Price informations ▼
5671010	In stock Immediate delivery	Minimum 1 pc(s).	



Saw band
3652 x 35 x 0,9 mm T 22 mm Flex-Back



Article number ▼
5671905

Availability ▼
No stock available
Information:
Next availability
Unknown

Purchase ▼
Minimum 1 pc(s).

Price informations ▼



Saw band
3652 x 35 x 0,9 mm T 22 mm X-Cut



Article number ▼
5671935

Availability ▼
No stock available
Information:
Next availability
Unknown

Purchase ▼
Minimum 1 pc(s).

Price informations ▼

Prices on this data sheet are recommended retail prices, subject to change, in €, plus VAT at the statutory rate, plus packaging, shipping, transport, unloading, assembly and, if applicable, instruction costs. Sales prices of the dealers can deviate. No liability is accepted for printing errors, mistakes or incorrect presentation. Technical and optical changes are reserved. Illustration partly with optional accessories.