

## Log band saw HBBS 810

Precise saw cuts when ripping round timber



### Article number ▼

5670813

### Brand ▼

Holzkraft

### Availability ▼

In stock  
Immediate delivery

### Catalog directory ▼

Woodworking machinery » Bandsaws »  
HBBS

### Purchase ▼


Minimum 1 pc(s).



### Shipping informations ▼

Packaging Metrics		Weights		Delivery		Other	
Length	2,270 mm	Gross	422 kg	Delivery	Carrier	DualUse	✘
Width	645 mm	Net	380 kg	Content	1 pc(s).	SCIP	n/a
Height	880 mm					SVHC	No


### Root data ▼

Country of origin	EAN	Custom number	Quantity unit
 China	4036351345732	84659110	pc(s).


### Description ▼

- Solid cast wheels driven by a 7.5 kW electric motor
- Manual adjustment of the cutting height via hand crank
- Robust and torsion-resistant steel construction
- Simple operation with the aid of a manual saw feed
- Safety switch integrated in the handle for safe operation
- Stable clamping of the log thanks to adjustable tips
- Precise cuts thanks to adjustable saw blade guide
- Low friction between saw blade and wood thanks to integrated blade lubrication
- The side-mounted chip removal ensures a clean working area
- Any cutting length thanks to bed extensions available as accessories
- Suitable for softwood and hardwood

**Media informations** ▾



- Adjustable saw blade guide for precise saw cuts



- Locking lever on both sides for locking the cutting height

**Technical data** ▾









Dimensions and weights			
Length (product) approx.	4000 mm	Width/depth (product) approx.	2350 mm
Height (product) approx.	2080 mm	Net weight approx.	380 kg
Electrical Data			
Supply voltage	400 V	Mains frequency	50 Hz
Input power	7.5 kW		

Noise emission			
Sound power level	94,6 dB(A)		
Cutting ranges			
Max. trunk diameter	810 mm	Max. cutting width	700 mm
Cutting length max.	3200 mm	Passage over saw band	190 mm
Saw band			
Saw band speed(s)	18 m/s	Flywheel diameter	475 mm
Saw band length	4015 mm	Saw band width	34 mm
Saw band thickness	1 mm		

## Equipment ▼

Drive type	electric	Material frame construction	Steel
Feed rate	manually		

## Accessories ▼

	<b>Bed extension</b> 2.0 m for HBBS 810		
<b>Article number <span>▼</span></b> 5671810	<b>Availability <span>▼</span></b> In stock Immediate delivery	<b>Purchase <span>▼</span></b> Minimum 1 pc(s).	<b>Price informations <span>▼</span></b>
	<b>Turning hook</b> WH 1 for HBBS 400/660/810		
<b>Article number <span>▼</span></b> 5671000	<b>Availability <span>▼</span></b> In stock Immediate delivery	<b>Purchase <span>▼</span></b> Minimum 1 pc(s).	<b>Price informations <span>▼</span></b>
	<b>Loading ramp</b> for HBBS 400/660/810		
<b>Article number <span>▼</span></b> 5671005	<b>Availability <span>▼</span></b> In stock Immediate delivery	<b>Purchase <span>▼</span></b> Minimum 1 pc(s).	<b>Price informations <span>▼</span></b>
	<b>Cable winch</b> for HBBS 660/810		
<b>Article number <span>▼</span></b> 5671010	<b>Availability <span>▼</span></b> In stock Immediate delivery	<b>Purchase <span>▼</span></b> Minimum 1 pc(s).	<b>Price informations <span>▼</span></b>



**Saw band**  
4004 x 35 x 0,9 mm T 22 mm Flex- Back



**Article number** ▼  
5671910

**Availability** ▼  
No stock available  
Information:  
Next availability  
Unknown

**Purchase** ▼  
Minimum 1 pc(s).

**Price informations** ▼



**Saw band**  
4004 x 35 x 0,9 mm T 22 mm X-Cut



**Article number** ▼  
5671940

**Availability** ▼  
No stock available  
Information:  
Next availability  
Unknown

**Purchase** ▼  
Minimum 1 pc(s).

**Price informations** ▼

Prices on this data sheet are recommended retail prices, subject to change, in €, plus VAT at the statutory rate, plus packaging, shipping, transport, unloading, assembly and, if applicable, instruction costs. Sales prices of the dealers can deviate. No liability is accepted for printing errors, mistakes or incorrect presentation. Technical and optical changes are reserved. Illustration partly with optional accessories.