

## Woodturning lathe

### DB 460 Pro

Space-saving bench lathe with clockwise and counter-clockwise rotation



#### Article number ▼

5821046

#### Brand ▼

Holzkraft

#### Availability ▼

No stock available

Information:

Next availability

Unknown

#### Catalog directory ▼

Woodworking machinery » Lathes



#### Purchase ▼

Minimum 1 pc(s).


#### Delivery content ▼

- Tool rest 150 mm
- Face plate 80 mm
- Four-point driver
- Center punch
- Ejector rod
- Clamping wrench 46 mm
- Clamping key 38 mm
- 4 rubber feet
- Allen key (3mm, 4mm, 5mm)

#### Shipping informations ▼

Packaging Metrics		Weights		Delivery		Other	
Length	825 mm	Gross	34 kg	Delivery	Carrier	DualUse	✘
Width	425 mm	Net	32 kg	Content	1 pc(s).	SCIP	n/a
Height	300 mm					SVHC	No

#### Root data ▼

Country of origin	EAN	Custom number	Quantity unit
 China	4036351353669	84659900	pc(s).

#### Description ▼

- Solid cast iron bench bed for extremely smooth running
- ASR run-off protection groove for maximum safety when fastening clamping devices
- Manual speed adjustment via 5-stage belt drive
- Easy switching between clockwise and counter-clockwise rotation
- Can also be used as a stand-alone machine thanks to optional base frame

### Manufacturer

Stürmer Maschinen GmbH  
Dr.-Robert-Pfleger-Str. 26, 96103 Hallstadt, Germany  
info@stuermer-maschinen.de

### Media informations



- Ball bearing headstock with 105 mm bearing spacing and 5-stage belt drive



- Spindle with ASR drain protection
- In conjunction with the locking ring available as an accessory, this prevents the clamping device from "draining"



- Solid tool support for safe guidance of the turning tool



- Vibration-damping rubber feet for smoother running. Also available with base frame as an option



- Sliding tailstock with 44.5 mm quill travel and integrated quill clamp



- Easy tensioning/relaxation of the belt via hand lever with clamping screw

### Technical data ▼

General features			
Max. turning diameter	254 mm	Max. height	127 mm
Max. width	457 mm	Spindle head thread	M 33 x 3.5
Speeds	450, 980, 1550, 1940, 2640 min <sup>-1</sup>	Speed stages	5
Speed control	manual	Taper of tailstock sleeve	MT2
Tailstock thread	metric	Tailstock stroke	44.5 mm
Bearing distance	105 mm	Spindle cone	MT2
Dimensions and weights			
Length (product) approx.	790 mm	Width/depth (product) approx.	195 mm
Height (product) approx.	395 mm	Net weight approx.	32 kg
Electrical Data			
Supply voltage	230 V	Mains frequency	50 Hz
Motor power input	0.37 kW		

### Equipment ▼

Right-left run	▼
----------------	---

### Accessories ▼



### Bed extension DB 460 Pro



**Article number** ▼  
5831000

**Availability** ▼  
No stock available  
Information:  
Next availability  
Unknown

**Purchase** ▼  
Minimum 1 pc(s).

**Price informations** ▼



### Underframe for DB 460 Pro, DB 420 Pro und DB 510 Pro



**Article number** ▼  
5831100

**Availability** ▼  
No stock available  
Information:  
Next availability  
Unknown

**Purchase** ▼  
Minimum 1 pc(s).

**Price informations** ▼



### Underframe extension for DB 460 Pro, DB 420 Pro und DB 510 Pro



**Article number** ▼  
5831105

**Availability** ▼  
No stock available  
Information:  
Next availability  
Unknown

**Purchase** ▼  
Minimum 1 pc(s).

**Price informations** ▼



### Cone wiper MT 2



**Article number** ▼  
5931200

**Availability** ▼  
No stock available  
Information:  
Next availability  
Unknown

**Purchase** ▼  
Minimum 1 pc(s).

**Price informations** ▼



### Double cone MT 2



**Article number** ▼  
5931201

**Availability** ▼  
No stock available  
Information:  
Next availability  
Unknown

**Purchase** ▼  
Minimum 1 pc(s).

**Price informations** ▼



### Four-pronged impact tool



**Article number** ▼  
5931205

**Availability** ▼  
No stock available  
Information:  
Next availability  
Unknown

**Purchase** ▼  
Minimum 1 pc(s).

**Price informations** ▼



### Suction funnel Height adjustable



**Article number** ▼  
5931210

**Availability** ▼  
No stock available  
Information:  
Next availability  
Unknown

**Purchase** ▼  
Minimum 1 pc(s).

**Price informations** ▼



### Pencil compass 200 mm



**Article number** ▼  
5931215

**Availability** ▼  
No stock available  
Information:  
Next availability  
Unknown

**Purchase** ▼  
Minimum 1 pc(s).

**Price informations** ▼



### Dance master circle 250 mm



**Article number** ▼  
5931216

**Availability** ▼  
No stock available  
Information:  
Incoming stocks  
Expected on  
calendar week  
22/2025

**Purchase** ▼  
Minimum 1 pc(s).

**Price informations** ▼



### Angle gauge



**Article number** ▼  
5931220

**Availability** ▼  
No stock available  
Information:  
Next availability  
Unknown

**Purchase** ▼  
Minimum 1 pc(s).

**Price informations** ▼



### ASR screw chuck



**Article number** ▼  
5831400

**Availability** ▼  
No stock available  
Information:  
Next availability  
Unknown

**Purchase** ▼  
Minimum 1 pc(s).

**Price informations** ▼



### Drainage retaining ring



**Article number** ▼  
5831405

**Availability** ▼  
No stock available  
Information:  
Next availability  
Unknown

**Purchase** ▼  
Minimum 1 pc(s).

**Price informations** ▼



### Chisel grinding device



**Article number** ▼  
5831410

**Availability** ▼  
No stock available  
Information:  
Next availability  
Unknown

**Purchase** ▼  
Minimum 1 pc(s).

**Price informations** ▼



### Tool rest 155x400mm



**Article number** ▼  
5831411

**Availability** ▼  
No stock available  
Information:  
Next availability  
Unknown

**Purchase** ▼  
Minimum 1 pc(s).

**Price informations** ▼



### 4-jaw chuck M33 x 3.5, professional set with drain protection



**Article number** ▼  
5831500

**Availability** ▼  
No stock available  
Information:  
Next availability  
Unknown

**Purchase** ▼  
Minimum 1 pc(s).

**Price informations** ▼



### 4-jaw chuck M33 x 3.5, Ø95mm premium set, with drainage protection



**Article number** ▼  
5831501

**Availability** ▼  
No stock available  
Information:  
Next availability  
Unknown

**Purchase** ▼  
Minimum 1 pc(s).

**Price informations** ▼



### 4-jaw chuck Ø115mm premium set with drain safety device



**Article number** ▼  
5831502

**Availability** ▼  
No stock available  
Information:  
Next availability  
Unknown

**Purchase** ▼  
Minimum 1 pc(s).

**Price informations** ▼



### Chuck body Ø115mm with drain safety device



**Article number** ▼  
5831551

**Availability** ▼  
No stock available  
Information:  
Next availability  
Unknown

**Purchase** ▼  
Minimum 1 pc(s).

**Price informations** ▼



### OPTIMUM direct quick-action drill chuck MK 2 1 - 16 mm; up to 6000 min<sup>-1</sup>



**Article number** ▼  
3050571

**Availability** ▼  
No stock available  
Information:  
Next availability  
Expected on  
calendar week  
12/2025

**Purchase** ▼  
Minimum 20 pc(s).

**Price informations** ▼



### OPTIMUM direct quick-action drill chuck MK 2 1 - 13 mm; up to 8000 min<sup>-1</sup>



**Article number** ▼  
3050572

**Availability** ▼  
In stock  
Immediate delivery

**Purchase** ▼  
Minimum 10 pc(s).

**Price informations** ▼



### CBN grinding wheel 200 x 40 x 32 mm



**Article number** ▼  
5832100

**Availability** ▼  
No stock available  
Information:  
Next availability  
Unknown

**Purchase** ▼  
Minimum 1 pc(s).

**Price informations** ▼

Prices on this data sheet are recommended retail prices, subject to change, in €, plus VAT at the statutory rate, plus packaging, shipping, transport, unloading, assembly and, if applicable, instruction costs. Sales prices of the dealers can deviate. No liability is accepted for printing errors, mistakes or incorrect presentation. Technical and optical changes are reserved. Illustration partly with optional accessories.