

## Hose reel

# **SAR 8/15 SL TOP**



#### Article number >

2105821

#### Brand >

Aircraft

# Availability >

No stock available Information: Incoming stocks Expected on calendar week 29/2025

#### Catalog directory >

Compressed air technology » Compressed air and energy distribution » Hoses and workshop equipment » Hose reels / hose drums

# Purchase >

Minimum 0 pc(s).

## **Delivery content** ✓

- · Swiveling bracket for wall and ceiling mounting
- · Quality quick coupling
- Quality nipple



## Shipping informations >

Packaging Metrics	\$	Weights		Delivery		Other	
Length	290 mm	Gross	5.353 kg	Delivery	Delivery service	DualUse	×
Width	290 mm	Net	5.298 kg	Content	0 pc(s).	SCIP	n/a
Height	205 mm					SVHC	No

#### Root data v

Country of origin	EAN	Custom number	Quantity unit
Italy	4036351346999	39173900	pc(s).



# Description >

- Automatic hose retractor with spring drive
- Slow motion function
- Frame made of impact-resistant plastic
- Swivel wall bracket made of painted steel
- Special hose locking device, easy to switch off and control
- With kink protection
- Made in Italy

#### Manufacturer

Aircraft Kompressorenbau und Maschinenhandel GmbH Gewerbestraße Ost 6, 4921 Hohenzell, Austria info@aircraft.at

## Media informations >



#### Technical data v

General features			
Hose inner diameter 8 r		Hose outer diameter	12 mm
Hose length	15 m	Hose material	Polyurethane with fabric insert
Length of connecting hose	1 m	Operating pressure	15 bar
Connecting thread diameter	1/4 "	Connection thread type	External thread
Dimensions and weights			
Length (product) approx. 456 mm		Width/depth (product) approx.	371 mm
Height (product) approx.	199 mm	Net weight approx.	5.1 kg

Prices on this data sheet are recommended retail prices, subject to change, in €, plus VAT at the statutory rate, plus packaging, shipping, transport, unloading, assembly and, if applicable, instruction costs. Sales prices of the dealers can deviate. No liability is accepted for printing errors, mistakes or incorrect presentation. Technical and optical changes are reserved. Illustration partly with optional accessories.