

Cylindrical sanding machine

ZSM 560 Vario

With infinitely variable speed control, for surface grinding of wide workpieces



Article number ▼

5903565

Brand ▼

Holzstar

Availability ▼

Small stock amount

Article available

Catalog directory ▼

Woodworking machinery » Grinding machines for wood » Cylindrical grinding machines

Purchase ▼

Minimum 1 pc(s).



Delivery content ▼

- On-board tool
- sanding roller K80

Shipping informations ▼

Packaging Metrics		Weights		Delivery		Other	
Length	1,100 mm	Gross	153 kg	Delivery	Carrier	DualUse	✗
Width	690 mm	Net	118 kg	Content	1 pc(s).	SCIP	n/a
Height	1,240 mm					SVHC	No

Root data ▼

Country of origin	EAN	Customs Tariff Number	Quantity unit
 China	4036351308256	84659300	pc(s).

Description ▼

- Speed of the cylindrical sanding roller infinitely adjustable via potentiometer
- Feed speed infinitely adjustable via potentiometer
- Stable construction for high sanding accuracy
- Table extension at the infeed and outfeed
- Simple height adjustment of the sanding unit via crank handle
- Lateral sanding head holder removable for processing of wider workpieces
- Easy replacement of the sanding paper
- Closed base with cabinet system and storage compartment

You will receive the 3-year Stürmer warranty for this item when you register online.

Manufacturer

Stürmer Maschinen GmbH
Dr.-Robert-Pfleger-Str. 26, 96103 Hallstadt, Germany
info@stuermer-maschinen.de

Media informations ✓



Technical data ✓

Dimensions and weights			
Length (product) approx.	1070 mm	Width/depth (product) approx.	1080 mm
Height (product) approx.	1200 mm	Net weight approx.	119 kg
Extraction port			
Extraction port diameter	100 mm		
Work top(s)			
Work table length	592 mm	Work table width	505 mm
Table height	695 mm		
Electrical Data			
Feed motor output	0.08 kW	Supply voltage	230 V
Mains frequency	50 Hz	Output power (motor power)	1.1 kW
Input power	1.5 kW		
Sanding machine			
Sanding belt length	3280 mm	Sanding belt width	78 mm
Sanding surface width	555 mm	Max. sanding width	555 mm
Max. sanding height	80 mm		
Feed unit			
Feed speed	0 - 3,5 m/min		
Workpiece			
Min. workpiece height	5 mm	Max. workpiece height	80 mm

Accessories ✓**Slat sanding roller**
K 240**Article number** ✓
5913856**Availability** ✓
In stock
Immediate delivery**Purchase** ✓
Minimum 1 pc(s).**Price informations** ✓**Nylon sanding roller****Article number** ✓
5913857**Availability** ✓
In stock
Immediate delivery**Purchase** ✓
Minimum 1 pc(s).**Price informations** ✓**Wire brush roller**
Ø 0.4 mm**Article number** ✓
5913858**Availability** ✓
In stock
Immediate delivery**Purchase** ✓
Minimum 1 pc(s).**Price informations** ✓**Abrasive belt roll**
50000x80 K60Roll with fabric backing for stainless steel, steel, metal
universal, non-ferrous metals, wood**Article number** ✓
5918760**Availability** ✓
No stock available
Information:
Next availability
Expected on
calendar week
49/2025**Purchase** ✓
Minimum 1 pc(s).**Price informations** ✓**Abrasive belt roll**
50000x80 K80Roll with fabric backing for stainless steel, steel, metal
universal, non-ferrous metals, wood**Article number** ✓
5918780**Availability** ✓
In stock
Immediate delivery**Purchase** ✓
Minimum 1 pc(s).**Price informations** ✓



Abrasive belt roll

50000x80 K100

Roll with fabric backing for stainless steel, steel, metal universal, non-ferrous metals, wood

Article number ✓

5918710

Availability ✓

In stock

Immediate delivery

Purchase ✓

Minimum 1 pc(s).

Price informations ✓



Abrasive belt roll

50000x80 K120

Roll with fabric backing for stainless steel, steel, metal universal, non-ferrous metals, wood

Article number ✓

5918712

Availability ✓

In stock

Immediate delivery

Purchase ✓

Minimum 1 pc(s).

Price informations ✓



Abrasive belt roll

50000x80 K150

Roll with fabric backing for stainless steel, steel, metal universal, non-ferrous metals, wood

Article number ✓

5918715

Availability ✓

In stock

Immediate delivery

Purchase ✓

Minimum 1 pc(s).

Price informations ✓



Abrasive belt roll

50000x80 K180

Roll with fabric backing for stainless steel, steel, metal universal, non-ferrous metals, wood

Article number ✓

5918718

Availability ✓

In stock

Immediate delivery

Purchase ✓

Minimum 1 pc(s).

Price informations ✓



Abrasive belt roll

50000x80 K220

Roll with fabric backing for stainless steel, steel, metal universal, non-ferrous metals, wood

Article number ✓

5918722

Availability ✓

In stock

Immediate delivery

Purchase ✓

Minimum 1 pc(s).

Price informations ✓



Belts with cloth backing

3280 x 78 K60

Article number ✓

5918761

Availability ✓

In stock

Immediate delivery

Purchase ✓

Minimum 1 PU (5 pc(s).)

Price informations ✓





Belts with cloth backing 3280 x 78 K80



Article number ▼
5918762

Availability ▼
In stock
Immediate delivery

Purchase ▼
Minimum 1 PU (5
pc(s).)

Price informations ▼



Belts with cloth backing 3280 x 78 K120



Article number ▼
5918764

Availability ▼
In stock
Immediate delivery

Purchase ▼
Minimum 1 PU (5
pc(s).)

Price informations ▼



Belts with cloth backing 3280 x 78 K150



Article number ▼
5918765

Availability ▼
In stock
Immediate delivery

Purchase ▼
Minimum 1 PU (5
pc(s).)

Price informations ▼



Belts with cloth backing 3280 x 78 K100



Article number ▼
5918763

Availability ▼
In stock
Immediate delivery

Purchase ▼
Minimum 1 PU (5
pc(s).)

Price informations ▼



Belts with cloth backing 3280 x 78 K180



Article number ▼
5918766

Availability ▼
In stock
Immediate delivery

Purchase ▼
Minimum 1 PU (5
pc(s).)

Price informations ▼



Belts with cloth backing 3280 x 78 K220



Article number ▼
5918767

Availability ▼
In stock
Immediate delivery

Purchase ▼
Minimum 1 PU (5
pc(s).)

Price informations ▼

Prices on this data sheet are recommended retail prices, subject to change, in €, plus VAT at the statutory rate, plus packaging, shipping, transport, unloading, assembly and, if applicable, instruction costs. Sales prices of the dealers can deviate. No liability is accepted for printing errors, mistakes or incorrect presentation. Technical and optical changes are reserved. Illustration partly with optional accessories.

